

Bayer Environmental Science



Before using this product read the label carefully. / Lees die etiket noukeurig alvorens die produk gebruik word.

BAYSOL[®] READY-TO-USE

Reg. No. L5091 Act No. 36 of 1947
Namibian Reg. No. N-AR 0460

Reg. Nr. L5091 Wet Nr. 36 van 1947
Namibiese Reg. Nr. N-AR 0460

PLANT INSECTICIDE / PLANTINSEKDODER

ACTIVE INGREDIENT:

Cyfluthrin (pyrethroid)

0,05 g/l

Siflutrin (piretroïed)

NET CONTENTS / NET INHOUD: 750 ml

REGISTRATION HOLDER / REGISTRASIEHOUER:

Bayer (Pty.) Ltd. / (Edms.) Bpk.
Reg. No. / Nr. 1968/011192/07
P.O. Box / Posbus 143
ISANDO 1600
SOUTH AFRICA / SUID-AFRIKA
TEL: (011) 921 5911

Batch no.: / Lotnommer:

Date of manufacture: / Datum vervaardig: See side of bottle. / Sien kant van bottel.

BAYSOL[®] is a registered trademark of Bayer AG, Germany / is 'n geregistreerde handelsmerk van Bayer AG, Duitsland.

UN No. / VN Nr. 3082



HARMFUL
SKADELIK



Baysol® Ready-to-use Plant Insecticide is formulated for:

- contact and residual control of insects
- indoor use on pot plants, in greenhouses and on verandahs
- outdoor use on ornamentals

WARNINGS:

Do not use on edible crops.
Poisonous if swallowed or inhaled.
Irritating to nose, skin and eyes.
Keep out of reach of children and pets.
Toxic to fish, birds and bees.
Store at room temperature away from direct sunlight.
Do not store with food, foodstuffs and seed.

PRECAUTIONS:

Prevent contamination of food, utensils and drinking water.
Avoid skin contact and excessive inhalation.
Ensure adequate ventilation when spraying indoors.
Remove pets and cover aquaria.
Do not spray near fish ponds.
Wash with water and soap after accidental skin contact.

SYMPTOMS OF HUMAN POISONING:

Restlessness, salivation, hyperinosis, Ataxia, straddled gait, reduced sensitivity, reduced breathing rate, dyspnoea, apathy, irritation of nasal mucosae.

FIRST-AID TREATMENT:

Remove from direct contact with product. Wash hands, face and all parts of the body contaminated with the concentrate or spray, using plenty of soap and water.

NOTE TO PHYSICIAN:

Treat symptomatically.

DIRECTIONS FOR USE: USE ONLY AS DIRECTED.

WHEN Spray when insects are noticed on plant. Repeat as necessary.
HOW Spray infested areas or whole plant to the point of wetness from a distance of 20 cm. When using outdoors, spray when the air is still.
HOW MUCH Spray plants to the point of wetness. It is not necessary of desirable to saturate the plants.
NOTE **Baysol® Ready-to-use Plant Insecticide** is safe for use on most plants. Care should, however, be taken when spraying sensitive species, e.g. Maidenhair ferns. If in doubt, test a single leaf or leaves before treatment.

EFFECTIVELY CONTROLS:

Ant, aphid, Astylus beetle, Australian bug, caterpillar, cricket, mealybug, rose beetle, soft brown scale, stinkbug, thrips, whitefly.

For any product enquiry, contact Bayer Environmental Science - 011 921 5911. For poisoning emergencies only, Griffon Poison Information Centre may also be contacted - 082 446 8946.

BAYSOL® is the registered trademark of Bayer AG, Germany.

© Bayer (Pty.) Ltd. All unauthorized reproduction of this label is forbidden.

www.bayergarden.co.za