

Bayer Environmental Science



Before using this product read the label carefully. / Lees die etiket noukeurig alvorens die produk gebruik word.

## CONFIDOR<sup>®</sup> WG 5

Reg. No. L8021 Act No. 36 of 1947  
Namibian Reg. No. N-AR 0768

Reg. Nr. L8021 Wet Nr. 36 van 1947  
Namibiese Reg. Nr. N-AR 0768

A WATER DISPERSIBLE GRANULE FOR USE AS A DRENCH APPLICATION AGAINST APHIDS, THrips, MIRIDS AND MEALYBUGS ON NON-FLOWERING ORNAMENTAL PLANTS IN THE HOME GARDEN.

'N WATER DISPERGEERBARE KORREL VIR GEBRUIK AS 'N GRONDDEURDRENKINGS-BEHANDELING TEEN PLANTLUISE, BLAASPOOTJIES, BLAARBESIES EN WOLLUISE OP NIE-BLOMDRAENDE ORNAMENTELE PLANTE IN DIE HUISTUIN.

### ACTIVE INGREDIENT / AKTIEWE BESTANDDEEL:

Imidacloprid (chloro-nicotinyl)                      50 g/kg                      Imidakloprid (chloro-nikotiniel)

NET CONTENTS / NETTO INHOUD: 50 g

### REGISTRATION HOLDER / REGISTRASIEHOUER:

Bayer (Pty.) Ltd. / (Edms.) Bpk.  
Reg. No. / Nr. 1968/011192/07  
P.O. Box / Posbus 143  
ISANDO 1600  
SOUTH AFRICA / SUID-AFRIKA  
TEL: (011) 921 5911

Batch no: / Lotnommer:

Date of manufacture: / Datum vervaardig:

CONFIDOR<sup>®</sup> is a registered trademark of Bayer / is 'n geregistreerde handelsmerk van Bayer.

UN No. /VN Nr. 3077



CAUTION  
VERSIGTIG



**WARNINGS:**

Handle with care.  
Harmful when swallowed.  
Toxic to fish and bees. Do not apply to flowering plants.  
Store in a cool place and away from food and feedstuffs.  
Keep out of the reach of children, uninformed persons and animals.

**PRECAUTIONS:**

Avoid contact with skin and eyes. Wear gloves when handling product.  
Wash with soap and water immediately after use.  
Do not eat, drink or smoke whilst applying or before washing hands and face.  
Do not contaminate dams, drains, ponds, streams and other waterways with the product or used containers.  
Destroy empty container and do not re-use for any other purpose.

**DIRECTIONS FOR USE: USE ONLY AS DIRECTED.**

**Confidor® WG** is effective as a drench application against aphids, thrips, mirids and mealybugs on ornamental plants.

Application rates can be determined per plant or per surface area (low growing plants only, e.g. ground covers).

<b>Application rate per plant:</b>		
<b>Plant height:</b>	<b>Dosage per plant:</b>	<b>Mixture application:</b>
Lower than 1 m	Dilute 4 g <b>Confidor® WG</b> in 500 ml water	Apply the 500 ml mixture around the base of one plant.
Higher than 1 m	Dilute 8 g <b>Confidor® WG</b> in 1 ℓ water	Apply the 1 ℓ mixture around the base of one plant.

<b>Application rate per surface area (low growing plants only, e.g. ground covers):</b>		
Dosage per 1 m <sup>2</sup>	Dilute 4 g <b>Confidor® WG</b> in 5 ℓ water	Use a watering-can and apply 5 ℓ mixture to 1 m <sup>2</sup> surface area.

NOTE: 3 ml marking on the enclosed measuring scoop equals 2 g product.

For any product enquiry, contact Bayer Environmental Science - 011 921 5911. For poisoning emergencies only, Griffon Poison Information Centre may also be contacted - 082 446 8946.

**CONFIDOR®** is a registered trademark of Bayer.

© Bayer (Pty.) Ltd. All unauthorized reproduction of this label is forbidden.

www.bayergarden.co.za

## **WAARSKUWINGS:**

Hanteer versigtig.  
Skadelik indien ingesluk word.  
Giftig vir visse en bye. Moenie op blomdraende plante toedien nie.  
Berg in 'n koel plek weg van voedsel en voer.  
Hou buite bereik van kinders, oningeligte persone en diere.

## **VOORSORGMAATREËLS:**

Voorkom aanraking met vel en oë. Dra handskoene wanneer produk hanteer word.  
Was met seep en water onmiddellik na gebruik.  
Moet nie eet, drink of rook tydens toediening en voordat hande en gesig gewas is nie.  
Moenie damme, rioolstelsels, afvoerpype, riviere, dammetjies of ander waterweë met die produk of gebruikte houers besoedel nie.  
Vernietig leë houer en moet vir geen doel hergebruik nie.

## **GEBRUIKSAANWYSINGS:** GEBRUIK SLEGS SOOS AANGEDUI.

**Confidor® WG** is effektief as 'n gronddeurdrenkingsbehandeling teen plantluise, blaaspoetjies, blaarbesies en wolluise op ornamentele plante.

Toedieningshoeveelhede kan per plant of per oppervlak area (slegs laag groeiende plante, bv. grondbedekkers) bereken word.

<b>Toedieningshoeveelheid per plant:</b>		
<b>Plant hoogte:</b>	<b>Dosis per plant:</b>	<b>Mengsel toediening:</b>
Laer as 1 m	Los 4 g <b>Confidor® WG</b> op in 500 ml water	Dien die 500 ml mengsel rondom die stam van een plant toe.
Hoër as 1 m	Los 8 g <b>Confidor® WG</b> op in 1 liter water	Dien die 1 liter mengsel rondom die stam van een plant toe.

<b>Toedieningshoeveelheid per oppervlakarea (slegs laaggroeiende plante, bv. grondbedekkers):</b>		
Dosis per 1 m <sup>2</sup>	Los 4 g <b>Confidor® WG</b> op in 5 ℓ water	Gebruik 'n gieter en dien 5 ℓ mengsel per 1 m <sup>2</sup> toe.

NOTA: 3 ml merk op ingeslote maatlepel is gelyk aan 2 g produk.

Vir enige produk navrae, skakel Bayer Environmental Science - 011 921 5911. Slegs vir vergiftigingsnoodgevalle kan Griffon Gif Inligtingsentrum ook gekontak word - 082 446 8946.

**CONFIDOR®** is 'n geregistreerde handelsmerk van Bayer.

© Bayer (Edms.) Bpk. Alle ongemagtigde kopiëring van die etiket is verbode.

[www.bayergarden.co.za](http://www.bayergarden.co.za)