

Before using this product read the label carefully. / Lees die etiket noukeurig alvorens die produk gebruik word.

**COOPEX<sup>®</sup> DUST**  
**Dusting Powder / Stuifpoeier**

Reg. No. L4587 Act No. 36 of 1947  
Namibian Reg. No. N-AR 0415

Reg. Nr. L4587 Wet Nr. 36 van 1947  
Namibiese Reg. Nr. N-AR 0415

A READY-TO-USE DUSTING POWDER  
FOR THE CONTROL OF COCKROACHES,  
BEDBUGS, FLEAS, ANTS, FISHMOTHS  
AND LITTER BEETLE.

'N GEREED-OM-TE-GEbruik STUIFPOEIER  
VIR DIE BEHEER VAN KAKKERLAKKE,  
WEELUISE, VLOOIE, MIERE, VISMOTTE EN  
KLEIN MEELKEWER.

**ACTIVE INGREDIENT / AKTIEWE BESTANDEEL:**

Permethrin (pyrethroid)  
(25/75 cis/trans isomer)

5 g/kg

Permetrin (piretroïed)  
(25/75 cis/trans isomeer)

NET CONTENTS: / NETTO INHOUD: 125 g, 5 kg

**REGISTRATION HOLDER / REGISTRASIEHOUER:**

Bayer (Pty.) Ltd. / (Edms.) Bpk.  
Reg. No. / Nr. 1968/011192/07  
P.O. Box / Posbus 143  
ISANDO 1600  
SOUTH AFRICA / SUID-AFRIKA  
TEL: (011) 921 5911

Batch no./Lotnommer:

Date manufactured/Datum vervaardig:

COOPEX<sup>®</sup> is a registered trademark of Bayer / is 'n geregistreerde handelsmerk van Bayer.

UN No. / VN Nr. 3077



**CAUTION  
VERSIGTIG**



## **WARNINGS:**

May cause irritation of the skin, eyes, mucous membranes and skin sensitization.  
Handle with care.  
Keep out of reach of children, uninformed persons and animals.  
Toxic to fish and bees.  
Do not dust directly onto food, plants or animals.  
Store away from foodstuffs and feeds.

## **PRECAUTIONS:**

Do not use in the presence of persons with known sensitivity to pyrethroids.  
In the case of signs of sensitivity, obtain medical advice.  
Avoid excessive inhalation and skin contact.  
Do not eat, drink or smoke while applying or before washing hands and face.  
Wash hands with soap and water after use.  
Prevent contamination of foodstuffs, utensils and drinking water.  
Destroy empty container and do not re-use for any other purpose.

## **DIRECTIONS FOR USE: USE ONLY AS DIRECTED.**

May be used in kitchens, canteens, food processing plants, hotels, restaurants, bakeries and similar places where high standards of hygiene must be maintained.  
Use with any suitable dusting apparatus.

### 1. Cockroaches and fishmoths

Apply dust lightly around skirting boards and disperse into all cracks and crevices and where insects are most likely to come into contact. For application to electric motors. Leave the powder undisturbed for as long as possible.

### 2. Fleas

Lightly dust the powder over the floor and carpet working it into cracks and carpet pile where flea larvae develop in accumulated debris. Vacuum carpet before treatment and do not vacuum again for at least 24 hours. Also treat pet bedding and areas frequented by pets. In poultry houses treatment of litter will suppress flea infestations.

### 3. Bedbugs

Apply to bedframes, mattresses, floor coverings, upholstered furniture, cracks in walls, behind fittings and other likely harbourages.

### 4. Ants

Sprinkle dust freely along any runs in premises and around nests. Repeat as necessary.

### 5. Litter beetle in poultry houses

Apply dust at the rate of 10 g/m<sup>2</sup> using mechanical or electrical dusting machines. Treat a 1m band around inside wall/floor junction and support posts, and areas where litter beetle are active. Apply into hollow walls and ceilings. Repeat treatment as necessary.

For any product enquiry, contact Bayer Environmental Science - 011 921 5911. For poisoning emergencies only, Griffon Poison Information Centre may also be contacted - 082 446 8946.

**COOPEX**<sup>®</sup> is a registered trademark of Bayer.

© Bayer (Pty.) Ltd. All unauthorized reproduction of this label is forbidden.

[www.bayerhome.co.za](http://www.bayerhome.co.za)

### **WAARSKUWINGS:**

Kan vel, oë en slymvliese irriteer en vel sensitiseer.  
Hanteer versigtig.  
Hou buite die bereik van kinders, oningeligte persone en diere.  
Giftig vir visse en bye.  
Moet nie direk op voedsel, plante of diere stuif nie.  
Bewaar weg van voedsel en voer.

### **VOORSORGMATREËLS:**

Moet nie in die teenwoordigheid van persone wie sensitief is vir piretroïede, gebruik nie.  
In die geval van tekens van sensitiwiteit, kry mediese hulp.  
Moet nie stof oormatig inasem nie en verhoed aanraking met die vel.  
Moet nie eet, drink of rook terwyl u toedien nie of voordat hande en gesig gewas is nie.  
Was hande met seep en water na gebruik.  
Vermy besoedeling van voedsel, voer, eetgerei en drinkwater.  
Vernietig leë houers en moet vir geen ander doel gebruik nie.

### **GEBRUIKSAANWYSINGS: GEBRUIK SLEGS SOOS AANGEDUI.**

Vir gebruik in kombuise, kantiene, voedselverwerkingsfabrieke, hotelle, restaurante, bakkerye en in soortgelyke persele asook waar 'n hoë standaard van higiëne gehandhaaf moet word.  
Vir gebruik met behulp van enige geskikte bestuivingsapparaat.

1. Kakkerlakke en vismotte

Wend stuifpoeier liggies rondom vloerlyste aan en versprei in alle krake en barsies asook oral waar insekte die waarskynlikste daarmee in aanraking sal kom. Vir aanwending op elektriese motors. Laat poeier so lank moontlik ongestoord.

2. Vlooië

Bestuif die vloer en matte liggies met poeier; versprei in krake en in die pool van tapyte waar vlooië in die opgehoopte oorblyfsels ontwikkel. Stofsuig matte voor behandeling en moet nie weer stofsuig vir ten minste 24 uur nie. Troeteldiere se beddegoed en plekke waar hulle graag kom, moet ook behandel word.  
In pluimveehuise sal behandeling van die skropgoed vlooi infestasië bekamp.

3. Weeluis

Wend aan op bedrame, matrasse, vloerbedekkings, gestoffeerde meubels, krake in mure, agter vaste toerusting asook ander waarskynlike wegkruipplekke.

4. Miere

Bestuif poeier vrylik al langs mierpaadjies in die geboue asook rondom hul neste. Herhaal wanneer nodig.

5. Klein meelkewer in pluimveehuise

Wend die stuifpoeier teen 10 g/m<sup>2</sup> aan deur middel van 'n meganiese of elektriese bestuivingsapparaat. Behandel 1 m area aan die binnekant waar die muur en vloer bymekaar aansluit, ondersteuningspilare, of enige plek waar die kewer aktief voorkom. Bestuif holtes in die mure en plafonne. Herhaal wanneer nodig.

Vir enige produk navrae, skakel Bayer Environmental Science - 011 921 5911. Slegs vir vergiftigingsnoodgevalle kan Griffon Gif Inligtingsentrum ook gekontak word - 082 446 8946.

**COOPEX®** is 'n geregistreerde handelsmerk van Bayer.

© Bayer (Edms.) Bpk. Alle ongemagtigde kopiëring van die etiket is verbode.

[www.bayerhome.co.za](http://www.bayerhome.co.za)