

Bayer Environmental Science



Before using this product read the label carefully. / Lees die etiket noukeurig alvorens die produk gebruik word.

## COOPEX<sup>®</sup>

Wettable Powder / Benatbare Poeier

Reg. No. L4583 Act No. 36 of 1947  
Namibian Reg. No. N-AR 0416

Reg. Nr. L4583 Wet Nr. 36 van 1947  
Namibiese Reg. Nr. N-AR 0416

A RESIDUAL PYRETHROID INSECTICIDE WHICH KILLS FLYING AND CRAWLING INSECT PESTS. KILLS FLIES, INCLUDING STABLE FLIES.

'N NAWERKENDE PIRETROÏED INSEKTEMIDDEL WAT VLIËNDE EN KRUIPENDE INSEKPLAE DOOD. DOOD VLIËË, INSLUITENDE STALVLIËË.

### ACTIVE INGREDIENT/AKTIEWE BESTANDDEEL:

Permethrin (pyrethroid)  
(25/75 cis/trans isomer)

250 g/kg

Permetrien (piretroïed)  
(25/75 cis/trans isomeer)

NET CONTENTS: / NETTO INHOUD: 25 g

### REGISTRATION HOLDER / REGISTRASIEHOUER:

Bayer (Pty.) Ltd. / (Edms.) Bpk.  
Reg. No. / Nr. 1968/011192/07  
P.O. Box / Posbus 143  
ISANDO 1600  
SOUTH AFRICA / SUID-AFRIKA  
TEL: (011) 921 5911

Batch no./Lotnommer:

Date manufactured/Datum vervaardig:

COOPEX<sup>®</sup> is a registered trademark of bayer / is 'n geregistreerde handelsmerk van Bayer.

UN No./VN. Nr. 3077



CAUTION  
VERSIGTIG



## **WARNINGS:**

Handle with care.

May cause irritation of the skin, eyes, mucous membranes and skin sensitization.

Keep out of reach of children and animals.

Toxic to fish and bees.

Do not spray directly onto food or plants.

Store away from foodstuffs and feed.

## **PRECAUTIONS:**

Do not use in the presence of persons with known sensitivity to pyrethroids.

In the case of signs of sensitivity, obtain medical advice.

Do not breathe dust or spraymist excessively and avoid skin contact.

Do not eat, drink or smoke while mixing or applying or before washing hands and face.

Wash with soap and water after use.

Prevent contamination of foodstuffs, feed, eating utensils and drinking water.

Destroy empty sachet and do not use for any other purpose.

## **DIRECTIONS FOR USE:** USE ONLY AS DIRECTED.

To be used in food warehouses, factories, hotels, restaurants, food shops, bakeries, mills, kitchens, dairies, animal housing and similar places where high standards of hygiene must be maintained.

### 1. Flies, stable flies and mosquitoes

Dilute 25 g (one sachet) to 10 ℓ water and spray walls, ceilings and other fly resting sites.

For longer control dilute 50 g (two sachets) to 10 ℓ water.

### 2. Cockroaches, bedbugs, fleas, ants and fishmoths

Dilute 50 g (two sachets) to 10 ℓ water and spray all harbourages and areas frequented by pests. Pay particular attention to cracks and crevices. For longer control dilute 50 g (two sachets) to 7,5 ℓ water.

### 3. Stored product pests

Dilute 50 g (two sachets) to 10 ℓ water and spray all walls, floors and ceilings. Pay particular attention to surfaces of bins, cases, etc.

For longer control dilute 50 g (two sachets) to 7,5 ℓ water.

For any product enquiry, contact Bayer Environmental Science - 011 921 5911. For poisoning emergencies only, Griffon Poison Information Centre may also be contacted - 082 446 8946.

**Coopex**<sup>®</sup> is a registered trademark of Bayer.

© Bayer (Pty) Ltd. All unauthorized reproduction of the label is forbidden.

www.bayerhome.co.za

## **WAARSKUWINGS:**

Hanteer versigtig.

Kan vel, oë en slymvliese irriteer en vel sensitiseer.

Hou buite die bereik van kinders en diere.

Giftig vir visse en bye.

Moet nie direk op voedsel of op plante spuit nie.

Bewaar weg van voedsel en voer.

## **VOORSORGMAATREËLS:**

Moet nie in die teenwoordigheid van persone wie sensitief is vir piretroïede, gebruik nie.

In die geval van tekens van sensitiwiteit, kry mediese hulp.

Moet nie stof of spuitmis oormatig inasem nie en verhoed aanraking met die vel.

Moet nie eet, drink of rook terwyl u meng of toedien nie of voordat hande en gesig gewas is nie.

Was met seep en water na gebruik.

Voorkom besoedeling van voedsel, voer, eetgerei en drinkwater.

Vernietig leë sakkie en moet nie vir enige ander doel gebruik nie.

## **GEBRUIKSAANWYSINGS:** GEBRUIK SLEGS SOOS AANGEDUI.

Vir gebruik op voedselopbergingspersele, fabrieke, hotelle, restaurante, voedselwinkels, bakkerye, meulens, kombuise, melkerye, dierehokke en soortgelyke persele, asook waar 'n hoë standaard van higiëne gehandhaaf moet word.

### 1. Vlieë, stalvlieë en muskiete

Verdun 25 g (een sakkie) op 10 ℓ water en bespuit mure, plafonne en ander vliegrusplekke.

Vir langer nawerking verdun 50 g (twee sakkies) op 10 ℓ water.

### 2. Kakkerlakke, weeluisse, vlooie, miere en vismotte

Verdun 50 g (twee sakkies) op 10 ℓ water en bespuit alle wegkruipplekke asook areas waar peste voorkom. Gee besondere aandag aan krake en barsies. Vir langer nawerking verdun 50 g (twee sakkies) op 7,5 ℓ water.

### 3. Bergingsplae

Verdun 50 g (twee sakkies) op 10 ℓ water en bespuit alle mure, vloere en plafonne. Gee besondere aandag aan oppervlakke van bakke, kaste, ens. Vir langer nawerking verdun 50 g (twee sakkies) op 7,5 ℓ water.

Vir enige produk navrae, skakel Bayer Environmental Science - 011 921 5911. Slegs vir vergiftigingsnoodgevalle kan Griffon Gif Inligtingsentrum ook gekontak word - 082 446 8946.

Coopex® is 'n geregistreerde handelsmerk van Bayer.

© Bayer (Edms.) Bpk. Alle ongemagtigde kopiëring van die etiket is verbode.

[www.bayerhome.co.za](http://www.bayerhome.co.za)