

Before using this product read the label carefully. / Lees die etiket noukeurig alvorens die produk gebruik word.

DELTABAK[®]

Tobacco Bale and Store Treatment / Tabakbaal en -Stoor Behandeling

Reg. No. L4574 Act No. 36 of 1947

Reg. Nr. L4574 Wet Nr. 36 van 1947

A SUSPENSION CONCENTRATE FOR THE TREATMENT OF TOBACCO BALES, WAREHOUSES AND TOBACCO STORES FOR THE PROTECTION AGAINST TOBACCO BEETLE.

'N SUSPENSIE KONSENTRAAT VIR BEHANDELING VAN TABAKBALE, PAKHUISE EN TABAKSTORE VIR BESKERMING TEEN DIE TABAKKEWER.

ACTIVE INGREDIENT/AKTIEWE BESTANDDEEL:

Deltamethrin (pyrethroid)

50 g/l

Deltametrien (piretroïed)

NET CONTENTS: / NETTO INHOUD: 1 ℓ

REGISTRATION HOLDER / REGISTRASIEHOUER:

Bayer (Pty.) Ltd. / (Edms.) Bpk.
Reg. No. / Nr. 1968/011192/07
P.O. Box / Posbus 143
ISANDO 1600
SOUTH AFRICA / SUID-AFRIKA
TEL: (011) 921 5911

Batch no./Lotnommer:

Date manufactured/Datum vervaardig:

DELTABAK[®] is a registered trademark of Bayer / is 'n geregistreerde handelsmerk van Bayer.

UN No./VN Nr. 3082



CAUTION
VERSIGTIG



WARNINGS:

Do not treat exposed tobacco. Tobacco should be baled and covered by asphalt paper and hessian.

Handle concentrate with care.

Poisonous when swallowed, inhaled or absorbed through the skin.

Deltabak[®] Tobacco Bale and Store Treatment may cause transient irritation of the skin, eyes and nasal membranes.

Keep out of reach of children, uninformed persons and animals.

Toxic to fish, bees and wildlife.

Store in a cool place away from food and feedstuffs.

PRECAUTIONS:

Wear protective clothing when handling the concentrate or diluted mixtures.

Wear a face shield when applying the diluted washes to surfaces or when working in spray mist.

Avoid skin contact and wash splashes from skin or eyes immediately.

Wash with soap and water after use.

Wash contaminated clothing daily.

Do not use in the presence of persons with known sensitivity to pyrethroids. In the case of signs of sensitivity, obtain medical advice.

Do not eat, drink or smoke whilst mixing or applying or before washing face and hands.

Prevent contamination of food, feedstuffs, drinking water, eating utensils and food preparation equipment.

Rinse empty container three times with a volume of water equal to a minimum of 10 % of that of the container. Add the rinsings to the contents of the spray tank before destroying the container.

Destroy empty container and do not re-use for any other purpose.

DIRECTIONS FOR USE: USE ONLY AS DIRECTED.

Do not spray onto exposed tobacco.

1. Tobacco bales - packed in hessian

Dilute 40 ml in 10 l water and apply as a coarse spray using a compression sprayer fitted with a flat fan nozzle (Teejet) at the rate of 16 l / 100 m² - 10 l of diluted spray should treat 25 (100 kg) bales.

Spray each bale with overlapping swathes to ensure complete coverage. Repeat application after 12 months.

2. Tobacco barns, warehouses and stores

Dilute 75 ml in 10 l water and apply as a coarse spray using a compression sprayer - to point of run-off - approximately 5 l / 100 m² (depending on surface), to walls, pallets and floors. Do not spray exposed tobacco. Spray at least every 6 months.

For any product enquiry, contact Bayer Environmental Science - 011 921 5911. For poisoning emergencies only, Griffon Poison Information Centre may also be contacted - 082 446 8946.

DELTABAK[®] is a registered trademark of Bayer.

© Bayer (Pty.) Ltd. All unauthorized reproduction of this label is forbidden.

www.bayeres.co.za

WAARSKUWINGS:

Moet nie blootgestelde tabak behandel nie. Tabak moet gebaal en met asfaltpapier en goiing bedek wees.

Hanteer konsentraat versigtig.

Giftig wanneer ingesluk, ingeasem of deur die vel geabsorbeer word.

Deltabak® Tabakbaal en -Stoor Behandeling mag 'n kortstondige irritasie van die vel, oë en neusvliese veroorsaak.

Hou buite bereik van kinders, oningeligte persone en diere.

Giftig vir vis, bye en wild.

Bewaar op 'n koel plek, weg van voedsel en voer.

VOORSORGMATREËLS:

Dra beskermende klere wanneer die konsentraat of verdunde mengsels hanteer word.

Dra 'n gesigskerm wanneer die verdunde mengsel aan oppervlakke aangewend word, of wanneer daar in die sproeimis gewerk word.

Vermý velkontak en was vel en oë onmiddellik na kontak met spatsels.

Was na gebruik met seep en water.

Was besoedelde klere daaglik.

Moenie in die teenwoordigheid van persone wie sensitief is vir piretroïede gebruik nie. In die geval van tekens van sensitiwiteit, kry mediese hulp.

Moet nie eet, rook of drink gedurende vermenging of aanwending, of voordat hande en gesig gewas is nie.

Voorkom besoedeling van voedsel, voer, drinkwater, eetgerei en voedselvoorbereidingstoerusting.

Spoel leë houer drie keer uit met 'n volume water gelykstaande aan 'n minimum van 10 % van die houer.

Gooi die spoelwater by die inhoud van die spuittenk voordat die houer op die voorgeskrewe wyse vernietig word.

Vernietig leë houer en moet vir geen ander doel gebruik nie.

GEBRUIKSAANWYSINGS: GEBRUIK SLEGS SOOS AANGEDUI.

Moet nie ontblote tabak bespuit nie.

1. Tabakbale verpak in goiingsakke

Verdun 40 ml in 10 ℓ water en wend aan as 'n growwe bespuiting en deur gebruik te maak van 'n drukspuit wat toegerus is met 'n plat spuitpunt (Teejet) teen 'n tempo van 16 ℓ / 100 m² - 10 ℓ verdunning behoort 25 bale (100 kg) tabak te kan behandel. Bespuit elke baal met oordekkende hale om algehele bedekking te verseker. Herhaal behandeling na 12 maande.

2. Tabakskure, pakhuse en tabakstore

Verdun 75 ml in 10 ℓ water en wend aan as 'n growwe bespuiting (tot die punt van afloop - ongeveer 5 ℓ / 100 m² afhangende van die oppervlak) aan mure, palette en vloere. Moet nie ontblote tabak bespuit nie. Bespuit ten minste elke 6 maande.

Vir enige produk navrae, skakel Bayer Environmental Science - 011 921 5911. Slegs vir vergiftigingsnoodgevalle kan Griffon Gif Inligtingsentrum ook gekontak word - 082 446 8946.

DELTABAK® is 'n geregistreerde handelsmerk van Bayer.

© Bayer (Edms.) Bpk. Alle ongemagtigde kopieëring van die etiket is verbode.

www.bayeres.co.za