

Before using this product read the label carefully. / Lees die etiket noukeurig alvorens die produk gebruik word.

FINALE[®]
RAT AND MOUSE GRAIN BAIT/ROT EN MUIS GRAANLOKAAS

Reg. No. L7848 Act No. 36 of 1947
Namibian Reg. No. N-AR 0712

Reg. Nr. L7848 Wet Nr. 36 van 1947
Namibiese Reg. Nr. N-AR 0712

A HIGHLY ACTIVE ANTICOAGULANT
GRAIN BAIT FOR CONTROL OF THE
NORWAY RAT (*Rattus norvegicus*), ROOF
RAT (*Rattus rattus*) AND HOUSE MOUSE
(*Mus musculus*).

'N HOOGS AKTIEWE
BLOEDSTOLWEERMIDDEL
GRAANLOKAAS VIR BEHEER VAN DIE
NOORWEEGSE ROT (*Rattus norvegicus*),
DAKROT (*Rattus rattus*) EN HUISMUIS
(*Mus musculus*).

ACTIVE INGREDIENT / AKTIEWE BESTANDDEEL:

*Difethialone (anticoagulant) 0,025 g/kg Difetialoon (bloedstolweermiddel)

Contains a bitter ingredient / Bevat 'n bitter bestanddeel

NET CONTENTS: / NETTO INHOUD: 80 g, 200 g, 500 g, 2.5 kg

REGISTRATION HOLDER / REGISTRASIEHOUER:

Bayer (Pty.) Ltd. / (Edms.) Bpk.
Reg. No. / Nr. 1968/011192/07
P.O. Box / Posbus 143
ISANDO 1600
SOUTH AFRICA / SUID-AFRIKA
TEL: (011) 921 5911

Batch no: / Lotnommer:

Date of manufacture: / Datum vervaardig:

FINALE[®] is a registered trademark of Bayer / is 'n geregistreerde handelsmerk van Bayer.

* A Lipha Product.



WARNINGS:

Handle with care.

Keep out of reach of children, uninformed persons and animals.

Store away from food and feedstuffs.

Poisonous if swallowed and upon prolonged contact with the skin.

Toxic to fish and wildlife.

In case of poisoning, call a doctor and make this label available to him.

PRECAUTIONS:

Avoid contact with skin. Wear gloves when handling product.

Avoid contamination of any food, food utensils and drinking water.

Set bait where it will be inaccessible to children and animals.

Wash hands and exposed skin after handling.

Destroy empty container and do not use for any other purpose.

Bury dead rodents and any bait not consumed at end of treatment.

SYMPTOMS OF POISONING

Bleeding from the gums and nose, bleeding under the skin, pallor, haemorrhage into and around elbow and knee joints. Blood in urine and faeces.

FIRST AID TREATMENT

Remove patient from source of poisoning and keep him quiet and reassured. Take patient IMMEDIATELY to the nearest physician. Never give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN

Administer 5 mg/kg Vit. K₁ intravenously on the first day, followed by another administration of the same dose if the Quick time does not normalise a few hours after the first injection. Follow up with 5 mg/kg/day orally on the second and following days. The duration of the treatment is generally between 10 and 15 days.

In severe cases give small transfusions of fresh blood.

DIRECTIONS FOR USE: USE ONLY AS DIRECTED.

For use in the home, on the farm and industrial premises.

Finale[®] Grain Bait can kill rats and mice after a single feed. Death of rodents will take 4 - 12 days.

Effective against warfarin resistant rats and mice.

Norway and Roof Rats

Place **Finale[®] Grain Bait** in a covered bait station to prevent access by children and domestic animals.

Place 50 - 75 g **Finale[®] Grain Bait** per bait station every 5 - 10 m along walls or ratruns, in rat burrows and in sheltered areas where rats are known to live or feed.

Bait points should be inspected and replenished every 7 days until feeding ceases.

Mice

Place 15 - 20 g **Finale[®] Grain Bait** per bait station every 2 - 4 m along walls or runways, in nests and in sheltered areas where mice are known to live or feed.

The single feed action of **Finale[®] Grain Bait** is particularly effective against mice with their small appetites and sporadic feeding behaviour.

For any product enquiry, contact Bayer Environmental Science - 011 921 5911. For poisoning emergencies only, Griffon Poison Information Centre may also be contacted - 082 446 8946.

FINALE[®] is a registered trademark of Bayer.

© Bayer (Pty.) Ltd. All unauthorized reproduction of this label is forbidden.

www.bayeres.co.za
www.bayerhome.co.za

WAARSKUWINGS:

Hanteer versigtig.

Hou buite bereik van kinders, oningeligte persone en diere.

Bewaar weg van voedsel en voer.

Giftig indien ingesluk en met langdurige velkontak.

Giftig vir visse en wild.

In geval van vergiftiging ontbied 'n dokter en stel hierdie etiket tot sy beskikking.

VOORSORGMATREËLS:

Voorkom aanraking met vel. Dra handskoene wanneer produk hanteer word.

Vermý besoedeling van enige kos, eetgerei en drinkwater.

Plaas lokaas buite bereik van kinders en diere.

Was hande en ontblote vel na hantering.

Vernietig leë houer en moet dit vir geen ander doel gebruik nie.

Begrawe alle dooie knaagdiere en enige lokaas wat oorbly na beëindiging van die behandeling.

SIMPTOME VAN VERGIFTIGING

Bloeding van die tandvleis en neus, onderhuidse bloeding, bleekheid, bloeding in en rondom die knie- en elmbooggewrigte. Bloed in urine en ontlasting.

EERSTEHULP BEHANDELING

Verwyder pasiënt van die bron van vergiftiging en hou hom kalm en gerusgestel. Neem pasiënt ONMIDDELLIK na die naaste geneesheer. Moet nooit enigiets per mond aan 'n bewustelose persoon gee nie.

NOTA AAN GENEESHEER

Dien 5 mg/kg Vit. K₁ intraveneus toe op die eerste dag, gevolg deur 'n addisionele toediening van dieselfde dosis indien die protrombiene tyd nie normaliseer binne 'n paar uur na die eerste inspuiting nie. Volg op met 5 mg/kg/dag mondelings op die tweede en daaropvolgende dae. Die duur van die behandeling is gewoonlik tussen 10 en 15 dae.

In ernstige gevalle gee klein oortappings vars bloed.

GEBRUIKSAANWYSINGS: GEBRUIK SLEGS SOOS AANGEDUI.

Vir gebruik in huise, op plase en industriële persele.

Finale[®] Graanlokaas kan rotte en muise na 'n enkelvoeding dood. Knaagdiere sal binne 4 - 12 dae vrek. Doeltreffend teen warfarin bestande rotte en muise.

Noorweegse Rot en Dakrot

Plaas **Finale[®] Graanlokaas** in 'n bedekte aashouer ten einde toegang vir kinders en troeteldiere onmoontlik te maak.

Plaas 50 - 75 g **Graanlokaas** per aashouer elke 5 - 10 m al langs mure of rotpaadjies, in rot-gate en besutte areas waar dit bekend is dat rotte bly of eet.

Aashouers moet elke 7 dae ondersoek en aas bygevoeg word totdat dit nie meer geëet word nie.

Muise

Plaas 15 - 20 g **Finale[®] Graanlokaas** per aashouer elke 2 - 4 m al langs mure of rotpaadjies, in neste en besutte areas waar dit bekend is dat muise bly of eet.

Die enkelvoedingsinname van **Finale[®] Graanlokaas** is veral effektief teen muise met hulle klein eetlus en sporadiese voedingsgewoontes.

Vir enige produk navrae, skakel Bayer Environmental Science - 011 921 5911. Slegs vir vergiftigingsnoodgevalle kan Griffon Gif Inligtingsentrum ook gekontak word - 082 446 8946.

FINALE[®] is geregistreerde handelsmerk van Bayer.

© Bayer (Edms.) Bpk. Alle ongemagtigde kopiëring van die etiket is verbode.

www.bayeres.co.za

www.bayerhome.co.za