


NuPro Aerosol

Reg. No./Nr. L 7410 Act/Wet 36/1947



A rapid acting total release aerosol for space fumigation of residential buildings, stores, warehouses, mills, silos, ships, etc.

'n Snelwerkende aërosol met 'n ononderbroke vrystelling van die inhoud. Vir ruimte beroking van woonhuise, winkels, pakhuise, meulens, graan-suiers, skepe, ens.

330ml

Active ingredient:


Dichlorvos
(organofosphate)....124g/kg

Batch no. and date of manufacture printed on this container.

Aktiewe bestanddeel:

Dichlorvos
(organofosfaat)....124g/kg

Lot no. en datum van vervaardiging op houer aangedui.



Registration holder/Registrasiehouer:
FOUNTAIN CHEMICALS c.c
Reg. No. CK90-28032-23
Vat no. 4710107154
PO Box 73184
LYNNWOOD RIDGE 0040
Tel: (011) 392-7585
Fax/faks: (011) 392-7586



HARMFUL
SKADELIK



WARNINGS

- Only to be used by trained personnel.
- Handle with care. Disregard of warnings can have serious consequences.
- Do not use in grain mills, silos, stores or warehouses containing unsealed edible commodities.
- Flammable - do not spray near open flame.
- Do not expose container to direct sunlight or temperatures above 50 °C.
- Do not puncture or incinerate can.
- Keep out of the reach of children, uninformed persons and animals.
- Poisonous by inhalation or contact with the skin.
- Store away from food or foodstuffs.
- Toxic to fish, wildlife and birds.

PRECAUTIONS

- Prevent contamination of food, utensils and drinking water.
- Remove pets and cover aquaria prior to application.
- May stain plastic materials or highly polished surfaces.
- Do not eat, drink or smoke during application.
- If it is necessary to enter premises under treatment during application or within 6 hours after application wear a respirator, goggles and protective clothing.
- Do not inhale. Avoid contact with the skin (by wearing gloves) and wash off any splashes with soap and plenty of water.
- Wash all food handling equipment after treatment.
- In case of poisoning call a doctor immediately and make this label available to him.
- NOTE TO PHYSICIAN: This is an organophosphate containing product. In case of poisoning keep patient fully atropinised.

DIRECTIONS FOR USE- USE ONLY AS DIRECTED

Close doors and windows and switch off ventilation. Place the aerosol(s) in a raised position in the space to be treated. Where more than one aerosol is required distribute them evenly throughout the area. To activate press trigger until it is locked into the spray position. Leave room at once. The entire contents will release at once. Always activate the aerosol furthest from the door first. The room should be left closed overnight where possible or for at least 6 hours before using again. Total spray duration per can is about 5 minutes, which is sufficient to treat from 150m³ to 600m³ of room space, depending on the type of pests to be controlled (See Table). Follow the precautions regarding re-entry of freshly treated premises.

PESTS/PAAE	ONE CAN SUFFICIENT FOR EEN HOUEE VOLDOENDE VIR
Flying insects / Vlieënde insekte (e.g. moths, flies, mosquitoes / bv. motte, vlieë, muskieta)	600m ³
Stored product pests / insekte in gebergde produkte (e.g. grain and flour beetles and weevils and their larvae / bv. graan en meelkewers en kalenders en hul larwes)	300m ³
Crawling insects / Kruipende insekte (e.g. cockroaches, fishmoths, mites, lice, fleas, crickets, bedbugs, carpet beetles / bv. kakkerlakke, vismotte, myte, luise, vlooië, krieke, weeluisse, tapytkewers)	150m ³

WAARSKUWINGS

- Slegs vir gebruik deur opgeleide personeel.
- Hanteer versigtig. Verontagsaming van waarakuwings kan ernstige nagevolge hê.
- Nie vir gebruik in graanmeulens, graansuiers, winkels en pakhuise wat onverskeide eetware bevat nie.
- Ontvlambaar - moet nie spuit naby oop vlamme nie
- Moet nie houer blootstel aan direkte sonlig of temperature bo 50°C nie.
- Moet nie houer stukkend steek of verbrand nie.
- Hou buite die bereik van kinders, oningeligte persone en diere.
- Giftig aa dit deur die vel geabsorbeer word of ingasem word.
- Bêre weg van voer en voedsel.
- Giftig vir visse, wild en voëls.

VOORSORGMATREËLS

- Voorkom die besoedeling van voedsel, eetgerei en drinkwater.
- Verwyder troosteldiere en badek akwarie voor behandeling.
- Plastiek- of hoogs gepoleerde oppervlakke mag gevlek word.
- Moet nie eet, drink of rook gedurende toediening nie.
- Indien dit nodig is om die geboue binne te gaan gedurende behandeling, of binne 6 uur na toediening, moet 'n gasmasker, brille en beskermende klere gedra word.
- Moet nie inasem nie. Vermo kontak met die vel deur handskoene te dra en was met seep en water indien die produk met die vel in aanraking kom.
- Was alle gereedskap waarmee voedsel hanteer word na behandeling.
- In geval van vergiftiging ontbied 'n geneesheer onmiddelik en stel hierdie etiket aan hom beskikbaar.
- NOTA AAN GENEESHEER: Hierdie is 'n organofosfaat produk. In geval van vergiftiging hou pasient ten volle geatropiniseerd.

GEBUIKAANWYSING- GEBUIK SLEGS SOOS AANGEDUI

Maak deure en vansters toe. Skakel ventilasie af. Plaas die aerosol(s) op 'n verhoogde plek in die ruimte wat behandel moet word. Waar meer as een aerosol nodig is, versprei die houers eweredig in die ruimte wat behandel gaan word. Om te aktiveer druk die selfsluitspuitstuk totdat dit in die spuit posisie vashaak. Verlaat die area onmiddellik. Die algehele inhoud van die houer sal outomaties vrygestel word. Stel die houer verste van die deur altyd eerste in werking. Indien moontlik moet die ruimte oormag toegehou word, of vir ten minste 6 ure voordat die ruimte weer gebruik word. Totale spuityd vir 'n houer is ongeveer 5 minute wat voldoende is om 'n 150m³ tot 600m³ ruimte te behandel, afhange van die soort insek wat behandel moet word. (Sien Tabel). Volg noukeurig die voorsorgmaatreëls vir toetreding tot behandelde persele.