



TOBACCOGUARD®
ULV Insecticide / Insektemiddel

Reg. No. L4619 Act No. 36 of 1947

Reg. Nr. L4619 Wet Nr. 36 van 1947

A ULV SPRAY FOR THE CONTROL OF TOBACCO BEETLE (*Lasioderma serricornes*) IN TOBACCO WAREHOUSES. ALSO FOR THE CONTROL OF STORED PRODUCT PESTS AND MOTHS IN WAREHOUSES AND FOOD PROCESSING PLANTS.

'N ULV SPUITSTOF VIR DIE BEHEER VAN DIE TABAKKEWER (*Lasioderma serricornes*) IN TABAKPAKHUISE. ASOOK VIR DIE BEHEER VAN OPGEBERGDE PLAE EN MOTTE IN PAKHUISE EN PERSELE WAAR VOEDSEL VERWERK WORD.

ACTIVE INGREDIENT / AKTIEWE BESTANDDEEL:

Permethrin (pyrethroid)
(25/75 isomer)

50 g/l

Permetrien (piretroïed)
(25/75 isomeer)

NETTO CONTENTS/NETTO INHOUD: 25 l

REGISTRATION HOLDER / REGISTRASIEHOUER:

Starplex 83 CC
P.O. Box 14374
BREDELL 1623
SOUTH AFRICA
+27119794246/7

DISTRIBUTION BY:

COOPERS ENVIRONMENTAL SCIENCE (PTY) LTD
Reg. No. 2000/02366/70/7
91 Maple Street
POMONA 1619
SOUTH AFRICA
TEL: +2711 979-4246/7

Batch no: / Lotnommer:


Date manufactured: / Datum vervaardig:

TOBACCOGUARD® is a registered trademark of Coopers Environmental Science (Pty) Ltd / is n geregistreerde handelsmerk van Coopers Environmental Science (Pty) Ltd.

Before using this product read the label carefully. / Lees die etiket noukeurig alvorens die produk gebruik word.
UN Nr. / VN Nr. 3082



**CAUTION
VERSIGTIG**



WARNINGS:

Handle with care. May cause irritation of the skin, eyes, mucous membranes and skin sensitization.
Do not treat in the presence of exposed food, feed, preparation and/or packaging machinery and food handling surfaces. Cover these before treatment and do not remove covers within 3 hours after treatment.
Do not treat exposed tobacco. Tobacco should be baled and covered by asphalt paper and hessian.
Keep out of reach of children, uninformed persons and animals.
Switch off all electrical appliances.
Do not spray onto plants.
Store away from foods or feedstuffs.
Toxic to fish, bees and wild life.

PRECAUTIONS:

Do not use in the presence of persons with known sensitivity to pyrethroids.
In the case of signs of sensitivity, obtain medical advice.
Do not breathe spray mist and avoid skin contact.
Wash with soap and water after use.
Prevent contamination of foodstuffs, feed, eating utensils and drinking water.
Avoid wetting of plastic, rubber and asphalt surfaces.
Destroy empty container and do not re-use for any other purpose.

DIRECTIONS FOR USE: USE ONLY AS DIRECTED.

Use only with ULV misting equipment such as the LECO HD or LECO Mini or similar misting machines.

1. Tobacco warehouses - control of tobacco beetle
 - a) Ensure that the tobacco entering the warehouse has been treated and/or is insect free.
 - b) Treat all warehouses and factories with **Tobaccoguard**[®] at the rate of 185 mℓ / 1 000 m³ at three to four day intervals ensuring that the ULV mist is distributed evenly throughout the building.
 - c) This insecticide will not taint tobacco if the directions are followed. No oily film will accumulate after regular ULV application in premises.
2. Food storage warehouses and food processing plants
 - a) Flying insects, including Mediterranean flour moth, dried fruit moth and Indian meal moth:
 - i) Close windows and doors before applying. Apply in the evenings and leave closed overnight.
 - ii) Apply to all areas at the rate of 50 mℓ / 1 000 m³.
 - iii) Daily treatment is recommended during peak insect season for best results.
 - b) Crawling insects, including lesser grain borer, flour beetle, saw-toothed grain beetle, rice weevil, maize weevil and cockroaches.
 - i) Close windows and doors before applying and leave closed overnight.
 - ii) Treat all areas at the rate of 100 mℓ / 1 000 m³.
 - iii) Treat twice weekly. Will only control exposed adults and aid the prevention of re-infestation.

For any product enquiry, contact Coopers Environmental Science - 011 979 4246. For poisoning emergencies only, Griffon Poison Information Centre may also be contacted - 082 446 8946.

WAARSKUWINGS:

Hanteer versigtig. Kan vel, oë en slymvliese irriteer en vel sensitiseer.

Moet nie toedien in die teenwoordigheid van blootgestelde voedsel, voer, bereidings en/of verpakkingsmasjinerie en oppervlakke waarop voedsel hanteer word nie. Bedek dit voor toediening en moet bedekking nie binne 3 uur na toediening verwyder nie.

Moet nie blootgestelde tabak behandel nie. Tabak moet gebaal en met asfalt papier of going beskerm word.

Hou buite bereik van kinders, oningeligte persone en diere.

Skakel alle elektriese aparate af.

Moet nie op plante spuit nie.

Bewaar weg van voedsel en voer.

Giftig vir bye, visse en natuurlewe.

VOORSORGMATREËLS:

Moet nie in die teenwoordigheid van persone wie sensitief is vir piretroïede, gebruik nie.

In die geval van tekens van sensitiwiteit, kry mediese hulp.

Moet nie spuitnewel inasem nie en verhoed aanraking met die vel.

Was met seep en water na gebruik.

Voorkom besoedeling van voedsel, voer, eetgerei en drinkwater.

Vermyn benutting van plastiek, rubber en teer oppervlakke.

Vernietig leë houers en moet vir geen ander doel gebruik nie.

GEBRUIKSAANWYSINGS: GEBRUIK SLEGS SOOS AANGEDUI.

Gebruik slegs met ULV misontwikkelaars soos die LECO HD of LECO Mini of 'n soortgelyke misontwikkelaars.

1. Tabakpakhuis - beheer van tabakkewer

a) Maak seker dat die tabak wat in die pakhuis ingebring word, behandel en/of vry van insekte is.

b) Misbespuit alle pakhuis en fabriek met **Tobaccoguard**[®] teen 185 ml / 1 000 m³ met tussenposes van drie tot vier dae. Verseker dat die hele gebou egalig misbespuit word.

c) Indien hierdie aanwysings noukeurig gevolg word, sal die insektmiddel nie 'n smaak aan die tabak gee nie. Geen olierige lagie sal agterbly as gevolg van gereelde gebruik van die ULV spuitstof nie.

2. Voedselpakhuis en persele waar voedsel verwerk word

a) Vlieënde insekte, insluitende Mediterreense meelmot, droëvrugtemotte en die Indiese meelmot:

i) Hou deure en vensters toe tydens toediening. Bespuit gedurende die aand en laat oornag toe staan.

ii) Misbespuit die hele area teen 50 ml / 1 000 m³.

iii) Vir die beste resultate word daaglikse bemesting gedurende strawwe infestaties aanbeveel.

b) Kruipende insekte, insluitende kleingraanboorder, meelkewer, saagtandgraankewer, ryskalander, mieliekalander asook vir kakkerlakke.

i) Maak deure en vensters toe voor toediening en laat oornag toe staan.

ii) Behandel alle areas teen 100 ml / 1 000 m³.

iii) Misbespuit twee keer per week. Sal slegs blootgestelde volwasse insekte bestry en help om herinfestasië te voorkom.

Vir enige produk navrae, skakel Coopers Environmental Science - 011 979 4246. Slegs vir vergiftigingsnoodgevalle kan Griffon Gif Inligtingsentrum ook gekontak word - 082 446 8946.