

# COOPERS DELTAKILL<sup>CS</sup>

REG. NO. L9528 Act No. 36 of 1947 • Namibian Reg. No. N-AR 1525

A CAPSULE SUSPENSION CONTAINING A RESIDUAL CONTACT PYRETHROID FOR THE CONTROL OF FLIES, MOSQUITOES, ANTS, COCKROACHES, BED BUGS, FISHMOTHS AND FLEAS IN ANIMAL HOUSES, DOMESTIC AND INDUSTRIAL PREMISES (INCLUDING FOOD AND PROCESSING PLANTS)

**ACTIVE INGREDIENT:**

Deltamethrin 480g/kg ..... (pyrethroid)

**REGISTRATION HOLDER: Starplex 83 cc**

Reg. No. 2000/023667/07  
91 Maple St, Pomona AH,  
Kempton Park, 1619, SOUTH AFRICA  
TEL: +27 (11) 979- 4246

**DISTRIBUTION BY:**

Coopers Environmental Science (Pty) Ltd  
TEL: (+27)086 030 3003

**EMERGENCY NUMBER:**

082 446 8946 • 0861 555 777

## 500ml

Batch no.:

Date Manufacture:



CAUTION  
VERSIGTIG



**WARNINGS:** Handle with care. Poisonous if swallowed or inhaled. May cause irritation of the skin, eyes and mucous membranes. Keep out reach of children, uninformed people and animals. Toxic to fish and wildlife. Do not spray directly onto foodstuffs or surfaces on which food is stored or eaten. Store in a cool dry place.

**PRECAUTIONS:** Do not use in the presence of a person with known sensitivity to pyrethroids. In case of signs of sensitivity, obtain medical advice. Wear protective clothing and shield face when handling the concentrated or applying diluted solutions. Avoid skin contact and wash splashes from skin and eyes immediately. Wash with soap and water after use. Wash contaminated clothing daily. Do not eat, drink or smoke whilst mixing or applying or before washing face and hands. Prevent contamination of food, feedstuffs, drinking water, eating utensils and food preparation equipment. Rinse empty container three times with a volume of water to a minimum of 10% of that of the container. Add the rinsing to the contents of the spray tank before destroying the container. Destroy the container and do not re-use for any other purpose.

**DIRECTIONS FOR USE:** USE ONLY AS DIRECTED.

**Shake well before measuring.**

I. Cockroaches, bedbugs, fish moths, fleas and ants.

Dilute 40ml/5L water (For high infestations, use 80ml/5L water). **Deltakill** should be diluted with water only and applied with a suitable sprayer for industrial, domestic and public health use. For residual protection apply as a coarse spray at the rate of 5L/100m<sup>2</sup> or to the point of runoff, which will vary depending on the surface sprayed. Spray skirting's, walls, cupboards, as well as all surfaces where crawling insect activity is observed. Attention should be given to cracks and crevices. For ant control the perimeter should be sprayed and active nests should also be treated.

II. Houseflies and mosquitoes.

Dilute 40ml/5L water. **Deltakill** should be diluted with water only and applied with a suitable sprayer for domestic, industrial and public health use. For residual protection apply as a coarse spray at the rate of 5L/100m<sup>2</sup> or to the point of runoff, which will vary depending on the surface sprayed.

Since outdoor treatment areas are more likely to be exposed to weathering, shorter residual effects can be expected.

For any product enquiry contact Coopers Environmental Science (Pty) Ltd - 011 979 4246/7. For poisoning emergencies only, the Griffon Poison Information Centre may be contacted at 082 446 8946, or the Tygerberg Poison Information Centre on 0861 555 777.



**WAARSKUWINGS:** Hanteer versigtig. Giftig indien ingesluk of ingeasem word. Mag irritasie van die vel, oë en slymvliese veroorsaak. Hou buite bereik van kinders, oningeligte persone en diere. Giftig vir visse en wildlewe. Moet nie direk op voedsel of oppervlakke waarop voedsel geberg of geëet word, spuit nie. Bewaar in 'n koel droë plek.

**VOORSORGMATREËLS:** Moet nie in die teenwoordigheid van 'n persoon met sensitiwiteit tot piretroidede gebruik nie. In die geval van tekens van sensitiwiteit, kry mediese hulp. Dra beskermende klere wanneer die gekonsentreerde of verdunde oplossings hanteer word. Vermý kontak met die vel en was spatsels op die vel en oë onmiddellik af. Was met seep en water na gebruik. Was besoedelde klere daaglik. Moet nie eet, drink of rook tydens vermenging of toediening of voordat hande en gesig gewas is nie. Voorkom besoedeling van voedsel, voer, drinkwater, eetgerei en toerusting vir voedselvoorbereiding. Spoel leë houers drie maal uit met 'n volume water tot 'n minimum van 10% van die houer. Gooi die spoelwater by die inhoud van die spuittenk voordat die houer vernietig word. Vernietig die houer en moenie hergebruik vir enige ander doel nie.

**GEBRUIKSAANWYSINGS:** GEBRUIK SLEGS SOOS AANGEDUI

**Skud goed voor afmeting.**

I. Kakkerlakke, weelujse, vismotte, vlooië en miere.

Verdun 40ml/5L water (Vir hoë besmetting, gebruik 80ml/5L water). **Deltakill** moet slegs met water verdun word en aangewend word met 'n geskikte spuit vir huishoudelike, industriële en openbare gebruik. Vir nawerkende beskerming, wend aan as 'n growwe bespuiting teen 'n koers van 5L/100m<sup>2</sup> of tot die punt van afloop, wat sal wissel na gelang van die oppervlak gespuit. Bespuit vloerystye, mure, kaste, asook alle oppervlakke waar kruipende insekt aktiwiteite waargeneem word. Fokus veral op krake en barste. Vir mier-beheer moet die omtrek van die gebou gespuit word en aktiewe neste ook behandel word.

II. Vlieë en muskiete

Verdun 40ml/5L water. **Deltakill** moet slegs met water verdun word en aangewend word met 'n geskikte spuit vir huishoudelike, industriële en openbare gebruik. Vir nawerkende beskerming, wend as 'n growwe bespuiting teen 'n koers van 5L/100m<sup>2</sup> of tot die punt van afloop, wat sal wissel na gelang van die oppervlak gespuit.

Sedert die produk buite meer aan die weersomstandighede blootgestel is, kan 'n korter nawerkings-aksie verwag word.

For any product enquiry contact Coopers Environmental Science (Pty) Ltd - 011 979 4246/7. For poisoning emergencies only, the Griffon Poison Information Centre may be contacted at 082 446 8946, or the Tygerberg Poison Information Centre on 0861 555 777.