



Deltakill

REG. NO. L9528 Act No. 36 of 1947
Namibian Reg. No. N-AR 1525

REG. NR. L9528 Wet Nr. 36 van 1947
Namibiese Reg. Nr. N-AR 1525

A CAPSULE SUSPENSION CONTAINING A RESIDUAL CONTACT PYRETHROID FOR THE CONTROL OF FLIES, MOSQUITOES, ANTS, COCKROACHES, BED BUGS, FISHMOTHS AND FLEAS IN ANIMAL HOUSES, DOMESTIC AND INDUSTRIAL PREMISES (INCLUDING FOOD AND PROCESSING PLANTS)

'N KAPSULE SUSPENSIE MET 'N NAWERKENDE PIRETROIED VIR DIE BEHEER VAN VLIEË, MUSKIETE, KAKKERLAKKE, WEELUISE, VIS MOTTE EN VLOOIE. VIR GEBRUIK IN HOUSHOUDELIKE EN INDUSTRIËLE PERSELE (INSLUITEND VOEDSEL VERWERKING EN HANTERINGS PERSELE) EN OOK DIEREHOKKE

ACTIVE INGREDIENTS: / AKTIEWE BESTANDELE:

Deltamethrin

25g/l

Deltametrien

NETTO CONTENTS: / NETTO INHOUD: Contact supplier for available packaging sizes/ Kontak verskaffer vir beskikbare verpakking groottes.

REGISTRATION HOLDER

Starplex 83 CC
P.O. Box 14374
BREDELL 1623
SOUTH AFRICA
+27119794246/7

Distribution by:

COOPERS ENVIRONMENTAL SCIENCE (PTY) LTD

Reg. No. 2000/02366/70/7

91 Maple Street
POMONA 1619
SOUTH AFRICA
TEL: +2711 979-4246/7

Emergency number:

Poison Information Centres: South Africa

Gauteng:

Unitas Hospital: 0800 111 9900 (all hours)

Western Cape:

Tygerberg Hospital: (021) 931 6129



CAUTION
VERSIGTIG



WARNINGS:

Handle with care

Poisonous if swallowed or inhaled.

May cause irritation of the skin, eyes and mucous membranes.

Keep out reach of children, uninformed people and animals.

Toxic to fish and wildlife

Do not spray directly onto foodstuffs or surfaces on which food is stored or eaten.

Store in a cool dry place.

PRECAUTIONS:

Do not use in the presence of a person with known sensitivity to pyrethroids.

In case of signs of sensitivity, obtain medical advice.

Wear protective clothing and shield face when handling the concentrated or applying diluted solutions.

Avoid skin contact and wash splashes from skin and eyes immediately.

Wash with soap and water after use.

Wash contaminated clothing daily.

Do not eat, drink or smoke whilst mixing or applying or before washing face and hands.

Prevent contamination of food, feedstuffs, drinking water, eating utensils and food preparation equipment.

Rinse empty container three times with a volume of water to a minimum of 10% of that of the container. Add the rinsing to the contents of the spray tank before destroying the container.

Destroy the container and do not re-use for any other purpose.

DIRECTIONS FOR USE: USE ONLY AS DIRECTED.

Shake well before measuring.

I. Cockroaches, bedbugs, fish moths, fleas and ants.

Dilute 40ml / 5 l water (For high infestation, use 80 ml / 5L water).

Deltakill should be diluted with water only and applied with a suitable sprayer for industrial, domestic and public health use.

For residual protection apply as a coarse spray at the rate of 5 l / 100m² or to the point of runoff, which will vary depending on the surface sprayed.

Spray skirting's, walls, cupboards, as well as all surfaces where crawling insect activity is observed.

Attention should be given to cracks and crevices.

For ant control the perimeter should be sprayed and active nests should also be treated.

II. Houseflies and mosquitoes

Dilute 40ml / 5 l water.

Deltakill should be diluted with water only and applied with a suitable sprayer for domestic, industrial and public health use.

For residual protection apply as a coarse spray at the rate of 5 l / 100m² or to the point of runoff, which will vary depending on the surface sprayed.

Since outside deposits are more likely to be exposed to weathering, shorter residual effects can be expected.

For product inquiries, please contact Coopers Environmental Science (Pty) Ltd - 011 979 4246/7. For poisoning cases Griffon Poison Information Centre can be contacted - 082 446 8946.

www.cooperses.com

WAARSKUWINGS:

Hanteer versigtig

Giftig indien ingesluk of ingesem word.

Mag irritasie van die vel, oë en slymvliese veroorsaak.

Hou buite bereik van kinders, oningeligte persone en diere.

Giftig vir visse en wild.

Moet nie direk op voedsel of oppervlakke waarop voedsel geberg of geëet word, spuit nie.

Bewaar in 'n koel droë plek.

VOORSORGMAATREËLS:

Moet nie in die teenwoordigheid van 'n persoon met sensitiwiteit tot piretroïede gebruik nie.

In die geval van tekens van sensitiwiteit, kry mediese hulp.

Dra beskermende klere wanneer die gekonsentreerde of verdunde oplossings hanteer word.

Vermý kontak met die vel en was spatsels op die vel en oë onmiddellik.

Was met seep en water na gebruik.

Was besoedelde klere daaglik.

Moet nie eet, drink of rook tydens vermenging of toediening of voordat hande en gesig gewas is nie.

Voorkom besoedeling van voedsel, voer, drinkwater, eetgerei en toerusting vir voedselvoorbereiding.

Spoel leë houers drie maal uit met 'n volume water tot 'n minimum van 10% van die houer. Gooi die spoelwater by die inhoud van die spuitenk voordat die houer vernietig word.

Vernietig die houer en moenie hergebruik vir enige ander doel nie.

GEBRUIKSAANWYSINGS: GEBRUIK SLEGS SOOS AANGEDUI

Skud goed voor afmeting.

I. Kakkerlakke, weeluisse, vismotte, vlooie en miere.

Verdun 40 ml / 5 l water (Vir hoë besmetting, gebruik 80 ml / 5L water).

Deltakill moet slegs met water verdun word en aangewend word met 'n geskikte spuit vir huishoudelike, industriële en openbare gebruik.

Vir nawerkende beskerming, wend as 'n growwe bespuiting teen 'n koers van 5 l / 100m² of tot die punt van afloop, wat sal wissel na gelang van die oppervlak gespuit.

Bespuit vloerlyste, mure, kaste, asook alle oppervlakke waar kruipende insekte aktiwiteit waargeneem word. Aandag moet gegee word aan die krake en barste.

Vir mier beheer moet die omtrek van die gebou gespuit word en aktiewe neste ook behandel word.

II. Vlieë en muskiete

Verdun 40 ml / 5 l water.

Deltakill moet slegs met water verdun word en aangewend word met 'n geskikte spuit vir huishoudelike, industriële en openbare gebruik.

Vir nawerkende beskerming, wend as 'n growwe bespuiting teen 'n koers van 5 l / 100m² of tot die punt van afloop, wat sal wissel na gelang van die oppervlak gespuit.

Sedert die produk buite meer aan die weersomstandighede blootgestel is, kan korter nawerking verwag word.

Vir enige produk navrae, skakel Coopers Environmental Science (Pty) Ltd - 011 979 4246/7. Slegs vir vergiftigingsnoodgevälle kan Griffon Gif Inligtingsentrum ook gekontak word - 082 446 8946.