



**PCO Diazinon®**  
**Concentrate / Konsentraat**

REG. NO. L4577 Act 36/1947  
Namibian Reg. No. N-AR 0420

REG. NR. L4577 Wet 36/1947  
Namibiese Reg. Nr. N-AR 0420

A HIGH CONCENTRATION, LOW ODOUR, 'N HOOGS GEKONSENTEERDE, LAE REUK, EMULSIFIABLE CONCENTRATE FOR THE EMULGEERBARE KONSENTRAATVIR DIE CONTROL OF COCKROACHES, BEDBUGS, BEHEER VAN KAKKERLAKKE, WEELUISE, MIERE ANTS AND FLEAS. EN VLOOIE.

**ACTIVE INGREDIENTS: / AKTIEWE BESTANDELE:**

Diazinon (organophosphate) .....880 g/l..... Diasinon (organofosfaat)

FOR PROFESSIONAL USE ONLY. Only for use by registered pest control officers.

SLEGS VIR PROFESSIONELE GEBRUIK. Net vir gebruik deur geregistreerde plaagbeheerbeamptes.

**REGISTRATION HOLDER: / REGISTRASIEHOUER:**  
Coopers Environmental Science (Pty.) Ltd. /  
Reg. No. / Nr. 2000/023667/07  
P.O. Box / Posbus 14374, Bredell, 1623  
SOUTH AFRICA / SUID-AFRIKA  
TEL: (011) 979 4246

**DISTRIBUTED BY/ VERSPREIDER:**  
**Coopers Environmental Science (Pty) Ltd**  
Reg. No. 2000/023667/07  
91 Maple Street  
POMONA 1619  
SOUTH AFRICA TEL: (011) 979- 4246/7

NETTO CONTENTS: / NETTO INHOUD: 1 ltr

PCO Diazinon® is a registered trademark of / is 'n geregistreerde handelsmerk van Coopers Environmental Science (Pty) Ltd.

Batch no: / Lotnommer:  
Date manufactured / Datum vervaardig:

(YELLOW COLOUR BAND)



**WARNINGS:**

Handle with care.

Flammable - do not store near open flame.

Poisonous when swallowed, inhaled or absorbed through the skin. May irritate skin and eyes.

Toxic to fish, bees and wild life.

Keep out of reach of children, uninformed persons and animals.

Store under lock and key, away from food and feedstuffs.

Do not apply onto animals.

IN CASE OF POISONING CALL A DOCTOR AND MAKE THIS LABEL AVAILABLE TO HIM.

**PRECAUTIONS:**

Do not inhale spray mist.

Wash with soap and water after use or accidental skin contact.

Do not eat, drink or smoke whilst mixing or applying before washing hands and face.

Prevent contamination of food, feedstuffs, eating utensils and drinking water.

Rinse empty container three times with a volume of water equal to at least one tenth of that of the container and add the rinsing's to the contents of the spray tank before disposing of the container.

Destroy empty container and do not re-use for any other purpose.

**SYMPTOMS OF POISONING:**

Headache, fatigue, faintness, giddiness, excessive sweating, nausea, abdominal pains, vomiting, diarrhea, tightness of the chest, anxiety, blurred vision, muscle twitching beginning in the eyelids and tongue, small pupils, respiratory distress, convulsions, coma.

**FIRST AID TREATMENT:**

Remove patient from source of poisoning to a well-ventilated area and keep patient quiet and reassured.

Remove contaminated clothing and rinse contaminated body area thoroughly with plenty of soap and water.

Do not rub skin. Flush contamination out of eyes with clean water for 15 minutes. If water diluted mixture

has been swallowed induce vomiting by tickling the back part of the throat. If concentrate has been

swallowed firstly give copious quantities of either beaten egg white, starch solution or Milk of Magnesia

before inducing vomiting. Repeat until vomit fluid is clear and free from smell of poison. Administer artificial

respiration or closed chest cardiac massage if necessary. Do not apply direct mouth to mouth respiration.

Never give anything by mouth to an unconscious person.

**NOTE TO PHYSICIAN:**

Administer atropine sulphate, intravenously (1 - 4 mg) every 5 - 10 minutes until signs of atropinization (dry

flushed skin and tachycardia) appear. 2 PAM 50 mg/kg up to total dose of 1 - 2 g or 2/3 of this dose of

Protopam. Repeat oximes if necessary.

DO NOT GIVE MORPHINE.

**DIRECTIONS FOR USE: USE ONLY AS DIRECTED.****1. Cockroaches:**

Dilute 55 ml in 10 l of water and apply as a coarse spray onto surfaces. Repeat application when necessary.

**2. Bedbugs:**

Dilute 45 ml in 10 l of water and spray walls, skirting's, bedframes and cupboards, paying particular attention to cracks and crevices.

**3. Ants:**

Dilute 25 ml in 10 l of water and spray all skirting's, cupboards, etc., paying particular attention to cracks and crevices.

**4. Fleas:**

Dilute 110 ml in 10 l and spray skirting's and lightly onto carpets.

For any product enquiry, contact Coopers Environmental Science (Pty) Ltd - 011 979 4246/7. For poisoning emergencies only, Griffon Poison Information Centre may also be contacted - 082 446 8946.

### **WAARSKUWINGS:**

Hanteer versigtig.

Vlambaar - moet nie naby oop vlamme berg nie.

Giftig indien ingesluk, ingeasem of deur die vel geabsorbeer word. Kan vel en oë irriteer.

Giftig vir visse, bye en natuurlewe.

Hou buite bereik van kinders, oningeligte persone en diere.

Bewaar agter slot en grendel, weg van voedsel en voer. Moet nie op diere toedien nie.

**IN DIE GEVAL VAN VERGIFTIGING ONTBIED 'N GENEESHEER EN STEL HIERDIE ETIKET AAN HOM BESKIKBAAR.**

### **VOORSORGMATREËLS:**

Moet nie sproeiwel inasem nie.

Was met seep en water na gebruik of na toevallige aanraking met die vel.

Moet nie eet, drink of rook tydens vermenging of aanwending voordat hande en gesig deeglik gewas is nie.

Voorkom besoedeling van voedsel, voer, eetgerei en drinkwater.

Spoel leë houer drie keer uit met 'n volume water gelykstaande aan ten minste een tiende van die inhoud van die houer. Gooi die uitspoelwater by die inhoud van die spuitkan voordat die houer vernietig word.

Vernietig leë houer en moet vir geen ander doel hergebruik nie.

### **SIMPTOME VAN VERGIFTIGING:**

Hoofpyn, vermoeidheid, kragteloosheid, duisligheid, oormatige sweet, mislikheid, maagpyn, braking, buikloop, benoude bors, angstigheid, versteurde gesigsvermoë, spiertrekkings wat by die ooglede en tong begin, verkleinde pupille, asemhalingsnood, stuiptrekkings, bewusteloosheid.

### **NOODHULP BEHANDELING:**

Neem pasiënt weg van bron van vergiftiging na 'n goed geventileerde omgewing en hou die pasiënt stil en gerusgestel. Verwyder besoedelde klere en spoel die besmette liggaamsdele deeglik af met baie koue water en seep. Moenie die vel vryf nie. Spoel besmette oë met skoon water uit vir 15 minute. Indien van die waterverdunde mengsel ingesluk is, veroorsaak braking deur agter in die keel met vinger te prikkel. As die konsentraat gedrink is, gee eerstens oorvloedige hoeveelhede geklitste eierwit, styseloplossing of Melk van Magnesia, alvorens braking teweeggebring word. Hou hiermee aan totdat die braaksel skoon is en nie meer na die gif ruik nie. Pas kunsmatige asemhaling of geslote hartmassering toe indien nodig. Moenie direkte mond tot mond asemhaling toepas nie. Moet nooit enigiets deur die mond aan 'n bewustelose persoon toedien nie.

### **NOTA AAN GENEESHEER**

Dien atropien sulfaat binne-aars toe (1 - 4 mg) elke 5 - 10 minute totdat tekens van atropinisasie intree (droë gloeiende vel en tachycardea). 2 PAM 50 mg/kg tot 'n totale dosis van 1 - 2 g of 2/3 van hierdie dosis Protopam. Herhaal toediening van oksieme indien nodig.

**MOET GEEN MORFIEN TOEDIEN NIE.**

### **GEBRUIKSAANWYSINGS:** GEBRUIK SLEGS SOOS AANGEDUI.

#### **1. Kakkerlakke:**

Verdun 55 ml in 10 l water en wend as 'n growwe bespuiting aan oppervlaktes. Herhaal behandeling wanneer nodig.

#### **2. Weeluse:**

Verdun 45 ml in 10 l water en bespuit mure, vloerlyste, bedrame en kaste. Gee spesiale aandag aan krakies en barste.

#### **3. Miere:**

Verdun 25 ml in 10 l water en bespuit vloerlyste, kaste, ens. Gee spesiale aandag aan krakies en barste.

#### **4. Vlooië:**

Verdun 110 ml in 10 l water en bespuit vloerlyste asook liggies oor matte.

Vir enige produk navrae, skakel Coopers Environmental Science (Pty) Ltd - 011 979 4246/7. Slegs vir vergiftigingsnoodgevalle kan Griffon Gif Inligtingsentrum ook gekontak word - 082 446 8946.