



Timberdefence

REG. NO. L9189 Act 36/1947
Namibian Reg. No. N-AR 1249

REG. NR. L9189 Wet 36/1947
Namibiese Reg. Nr. N-AR 1249

A Ready-for-use organic solvent based solution containing specifically blended insecticidal and fungicidal active ingredients that provides a colourless surface treatment for protection of seasoned timber against wood borer and termite attack as well as discolouring fungi and mould growth. TIMBERDEFENCE contains a high level of insecticide to provide long term protection and also to control and eradicate wood boring insects in infested timber.

'n Gereed-vir-gebruik organiese solvent gebaseerde oplossing wat spesifiek gemende insek- en swamdodende aktiewe bestanddele bevat wat 'n kleurlose oppervlak behandeling bied vir die beskerming van hout teen hout boorder en termiet aanval sowel as verkleurende swamme en muf groei. TIMBERDEFENCE bevat 'n hoë vlak van insekdoder langtermyn beskerming te bied en ook om te beheer en hout saai insekte in besmette hout roei.

ACTIVE INGREDIENTS: / AKTIEWE BESTANDELE:

Cypermethrin (pyrethroid)	10g/l
TCMTB (Organosulphur compound)	8 g/l

NETTO CONTENTS: / NETTO INHOUD: 1, 5 ltr

REGISTRATION HOLDER:

STARPLEX 83 CC

P.O. Box 14374
BREDELL 1623
SOUTH AFRICA
+27119794246/7

Distribution by:

COOPERS ENVIRONMENTAL SCIENCE (PTY) LTD

Reg. No. 2000/02366/70/7
91 Maple Street
POMONA 1619
SOUTH AFRICA
TEL: +2711 979-4246/7

Batch no: / Lotnommer:

Date manufactured / Datum vervaardig:



Harmful
Skadelik

WARNINGS:

Handle with care.

Poisonous when swallowed and moderately toxic by skin contact.

May cause moderate to severe eye irritations.

Toxic to bees. (Minimally toxic to wildlife)

Store in a cool dry place away from food and foodstuffs.

Keep out of reach of children, uninformed persons and animals.

PRECAUTIONS:

Wear suitable protective clothing such as overalls and rubber gloves during application of the product.

Avoid eye splashes, skin contact and prolonged inhalation of vapours.

Use in an open or well-ventilated area.

Thoroughly wash hands and contaminated skin with soap and water after use.

Wash contaminated clothes daily

Do not eat, drink or smoke during application.

Prevent contamination of food, foodstuffs, drinking water and eating utensils.

Avoid contamination of the environment and do not discharge into rivers, dams and canals.

Do not re-use empty containers for any other purpose. Puncture and/or flatten and dispose of at an approved landfill site.

NOTE

When using spray application methods and in confined spaces, the use of approved respiratory equipment eye protection is recommended.

DIRECTIONS FOR USE: Use only as directed

TIMBERDEFENCE is a ready-for-use formulations for the application of seasoned timber against insects a fungal discolouration.

On application, the organic solvent assists in the penetration of the active ingredient into the wood structure and ensures rapid drying of the treated surfaces. After drying, any coating/finish can be applied on the treated wood surface.

PREPARATION:

New wood:

- Remove dust and foreign materials.
- Sand to a smooth finish

Old wood:

- Remove paint or varnish-type coatings with “**Cote-strip**”
- Remove old waxy and oil type finishes with “**Indeg**”
- Remove fungal stains/discolouration with “**Timberite**”
- Sand surface to a smooth finish

APPLICATION:

Ready- for- use. **DO NOT DILUTE**

Apply directly to clean, dry timber surfaces before application of final wood coating/finish.

Use either brush-on or dip or spray application methods.

Ensure that all surfaces are thoroughly covered and penetrated with the product, especially cut ends.

Allow surfaces to dry before applying a final wood coating/finish.

Repeat treatment every 2 to 4 years if the timber is left uncoated.

APPLICATION RATE (COVERAGE):

125ml to 250ml/ m² (4 to 8 m²/ l) depending on surface smoothness and timber species.

The supplier does not accept responsibility for lack of performance of the product, damage to the environment or harm to man or animals due to failure of the user to follow the label instructions.

For any product enquiry, contact Coopers Environmental Science (Pty) Ltd - 011 979 4246/7. For poisoning emergencies only, Griffon Poison Information Centre may also be contacted - 082 446 8946.

WAARSKUWINGS:

Hanteer versigtig.
Giftig wanneer ingesluk en matig giftig deur velkontak.
Kan matige tot ernstige oog irritasie veroorsaak.
Giftig vir bye (Minimaal giftig vir wild).
Bewaar in 'n koel droë plek weg van voedsel en voer.
Hou buite bereik van kinders, oningeligte persone en diere.

VOORSORGMAATREËLS:

Dra geskikte beskermende klere soos oorpakke en rubberhandskoene tydens toediening van die produk.
Vermy oog-, velkontak en langdurige inaseming van dampe.
Gebruik in 'n oop of 'n goed geventileerde area.
Was deeglik hande en besmette vel met seep en water na gebruik.
Was besoedelde klere daaglik.
Moet nie eet, drink of rook tydens toediening.
Voorkom besoedeling van voedsel, voer, drinkwater en eetgerei.
Vermy besoedeling van die omgewing en moet nie ontslaan in riviere, damme en kanale nie.
Moet nie leë houers gebruik vir enige ander doel nie. Steek en / of druk plat en gooi weg by 'n goedgekeurde stortingsterrein.

NOTA

Wanneer die bespuiting metodes gebruik word en/of in beperkte ruimtes, is die gebruik van goedgekeurde respiratoriese toerusting asook oog beskerming aanbeveel.

GEBRUIKSAANWYSINGS: (Gebruik slegs soos aangedui)

TIMBERDEFENCE is 'n gereed-vir-gebruik formule vir die toepassing op hout teen insekte en swam verkleuring.

Op aanwending, help die organiese oplosmiddel met penetrasie van die aktiewe bestanddeel in die hout struktuur en verseker vinnige droging van die behandelde oppervlaktes. Na droging, kan enige verdere produkte / afwerking op die behandelde hout oppervlak aangewend word.

VOORBEREIDING:

Nuwe hout:

- Verwyder stof en vreemde materiaal.
- Skuur af tot 'n gladde afwerking

Ou hout:

- Verwyder verf of vernis-tipe klere met 'n "**Cote-strook**"
- Verwyder ou wasagtige en olie tipe produkte met "**Indeg**"
- Verwyder swam vlekke / verkleuring met "**Timberite**"
- Sand oppervlak tot 'n gladde afwerking

AANWENDING:

Gereed-vir-gebruik. MOENIE verdun.

Dien direk op skoon, droë hout oppervlaktes voor toediening van die finale hout laag / afwerking.

Gebruik eerde 'n kwas, dip of spuit aanwending metode.

Maak seker dat alle oppervlaktes deeglik gedek en binnegedring is met die produk, veral sny punte.

Laat oppervlaktes om te droog voordat 'n finale laag aangewend word.

Herhaal behandeling elke 2 tot 4 jaar as die hout onbedek gelaat word.

DOSIS (dekking) 125 tot 250ml / m² (4 tot 8 m² / l) afhange van die oppervlak tekstuur en hout spesie.

Die verskaffer neem nie verantwoordelikheid vir 'n gebrek aan werking van die produk, skade aan die omgewing of vir nadelige effek op mens of dier, as gevolg van die versuim van die gebruiker om die etiketaanwysings na te kom nie.

Vir enige produk navrae, skakel Coopers Environmental Science (Pty) Ltd - 011 979 4246/7. Slegs vir vergiftigingsnoodgevalle kan Griffon Gif Inligtingsentrum ook gekontak word - 082 446 8946.

www.cooperses.com