



MOSPRAY

REG. NO. L9402 Act No. 36 of 1947

REG. NR. L9402 Wet 36/1947

AN EMULSIFIABLE CONCENTRATE FOR MOSQUITO CONTROL IN MALARIA AREAS PART OF A RESISTANT MANAGEMENT PROGRAM 'N EMULGEERBARE KONSENTRAAT VIR MUSKIET BEHEER IN MALARIAGEBIEDE AS DEEL VAN 'N WEERSTANDIGE BESTUURSPROGRAM

ACTIVE INGREDIENT: / AKTIEWE BESTANDDEEL:

Pirimiphos-methyl (organophosphate)500 g/l.....Pirimifos-metiel (organofosfaat)

NET CONTENTS : Contact supplier for available packaging sizes/ Kontak verskaffer vir beskikbare verpakking groottes.

REGISTRATION HOLDER/REGISTRASIEHOUER:

REGISTRATION HOLDER

Starplex 83 cc
Reg. No.: 2004/01564/23
P.O. Box 14374
BREDELL 1623
SOUTH AFRICA
TEL: +2711 979-4246/7

Distribution by:

Coopers Environmental Science (*Pty*) *Ltd*
Reg. No. 2000/02366/70/7
91 Maple Street,
POMONA 1619
SOUTH AFRICA
TEL: +2711 979-4246/7

UN NO. 3017



CAUTION
VERSIGTIG



Warnings:

HANDLE CONCENTRATE WITH CARE

Poisonous by inhalation, contact and swallowing.

Toxic to bees, fish and wildlife.

Keep out of reach of children, animals and uninformed persons.

Store under lock and key away from food and fodder in a safe place away from heat.

Keep away from direct sunlight.

FLAMMABLE – keep away from open flames.

Precautions:

Do not breathe fumes or spray mist.

Wash clothing after a days' work.

Wash immediately with soap and hot water after accidental skin contact.

Do not eat, drink or smoke whilst applying, mixing or before washing hands and face.

Prevent contamination of foodstuffs, food utensils and drinking water.

Clean applicator after use.

Triple rinse the empty container by inverting it over the spray or mixing tank and allowing to drain for at least 30 seconds after the flow has slowed to a drip.

Thereafter rinse the container three times with a volume of water equal to a minimum of 10 % of that of the container. Add rinsing water to the contents of the spray tank before destroying the container.

Destroy empty container by perforation and flattening and do not re-use for any other purpose.

Do not walk across treated areas until the application has dried thoroughly.

Remove pets and cover or remove aquaria.

Directions for use: Use only as directed.

Situation	Dosage	Critical comments
Indoor residual spray	100ml in 10 litres of water	For surfaces other than painted concrete. Remove all persons from areas to be treated and DO NOT use in areas where food is processed, packed or stored. Apply as a coarse spray, apply to wet all areas. Repeat monthly or when mosquitoes reappear.
Outdoor residual spray	500ml in 10 litres of water	For all porous surfaces such as mud huts, unpainted concrete and wooded surfaces.

For any product enquiry, contact Coopers Environmental Science (Pty) Ltd - 011 979 4246/7. For poisoning emergencies only, Griffon Poison Information Centre may also be contacted - 082 446 8946.

Waarskuwings:

Hanteer konsentraat versigtig
Giffig deur inaseming, kontak en sluk.
Giffig vir visse, bye en wild.
Hou buite bereik van kinders, oningeligte persone en diere.
Berg agter slot en grendel weg van voedsel en voer in 'n veilige plek weg van hitte.
Bly weg van direkte sonlig.
VLAMBAAR - hou weg van oop vlamme.

Voorsorgmaatreëls:

Moenie dampe of spuitnewel inasem nie.
Was klere na 'n dag se werk.
Was onmiddellik met seep en warm water na toevallige velkontak.
Moet nie eet, drink of rook tydens meng en toediening nie of voordat hande en gesig.
Voorkom besoedeling van voedsel, eetgerei en drinkwater.
Maak toedieningsapparaat skoon na gebruik.
Drie Spoel die leë houer deur omkeer dit oor die spuitenk of mengbak en laat dreineer vir minstens 30 sekondes nadat die vloei tot 'n drup verminder het.
Spoel die houer daarna drie keer uit met 'n volume water gelykstaande aan 'n minimum van 10% van die houer. Voeg spoelwater by die inhoud van die spuitenk voordat die houer vernietig word.
Vernietig leë houer deur gate en plat te slaan nie hergebruik nie vir enige ander doel.
Moenie oor behandelde areas loop totdat die behandeling deeglik droog.
Verwyder troeteldiere en bedek of verwyder akwaria.

Gebruiksaanwysings: Gebruik slegs soos aangedui.

Geval	Dosis	Kritiese kommentaar
Binnenshuise residuele spuit	100ml in 10 liters water	Vir oppervlaktes anders as geverf beton. Verwyder alle persone uit gebiede te behandel moet word en nie in areas waar voedsel verwerk, verpak of gestoor gebruik nie. Dien as 'n growwe bespuiting, toe te pas op alle gebiede te nat. Herhaal maandelikse of wanneer muskiete weer verskyn.
Buite residuele spuit	500ml in 10 liters water	Vir al poreuse oppervlakke soos modder hutte, ongeverfde beton en beboste oppervlaktes.

Vir enige produk navrae, skakel Coopers Environmental Science (Pty) Ltd - 011 979 4246/7. Slegs vir **vergiftigingsnoodgevalle** kan Griffon Gif Inligtingsentrum ook gekontak word - 082 446 8946.

www.cooperses.com