



ROACH DUST Dusting Powder

REG. NO. L4587 Act No. 36 of 1947
Namibian Reg. No. N-AR 0415

REG. NR. L4587 Wet Nr. 36 van 1947
Namibiese Reg. Nr. N-AR 0415

**READ THE LABEL BEFORE USE
KEEP OUT OF REACH OF CHILDREN AND ANIMALS**

GROUP	3A	INSECTICIDE
-------	----	-------------

A READY-TO-USE DUSTING POWDER FOR THE CONTROL OF COCKROACHES, BEDBUGS, FLEAS, ANTS, FISHMOTHS AND LITTER BEETLE.



WARNING

Hazard Statements:

- May cause an allergic skin reaction.
- Toxic to aquatic life with long lasting effects.

Precautionary Statements:

- Avoid release into the environment.
- Wear impervious rubber gloves and boots, protective clothing and chemical safety goggles.
- IF ON SKIN: Wash with plenty of water and non-abrasive soap.
- If skin irritation or rash occurs: Get medical advice.
- Collect spillage.
- Dispose of content/container to suitable landfill in accordance with local regulations

ACTIVE INGREDIENT / AKTIEWE BESTANDDEEL:

Permethrin (pyrethroid)
(25/75 cis/trans isomer)

5 g/kg

Permetrin (piretroïed)
(25/75 cis/trans isomeer)

NET CONTENTS: / NETTO INHOUD: Contact supplier for available packaging sizes/ Kontak verskaffer vir beskikbare verpakking groottes.

REGISTRATION HOLDER:

Starplex 83 CC
P.O. Box 14374
BREDELL 1623
SOUTH AFRICA
+27119794246/7

DISTRIBUTION BY:

COOPERS ENVIRONMENTAL SCIENCE (PTY) LTD
Reg. No. 2000/02366/70/7
91 Maple Street
POMONA 1619
SOUTH AFRICA
TEL: +2711 979-4246/7

See top of can for batch No. and Date of Manufacture

IN CASE OF POISONING CALL THE FOLLOWING NUMBER: (+27) 82 446 8946

UN NO.: 3077

WARNINGS:

May cause skin sensitization.
Handle with care.
Keep out of reach of children, uninformed persons and animals.
Toxic to fish and bees.
Do not dust directly onto food, plants or animals.
Store away from foodstuffs and feeds.

PRECAUTIONS:

Do not use in the presence of persons with known sensitivity to pyrethroids.
In the case of signs of sensitivity, obtain medical advice.
Avoid excessive inhalation and skin contact.
Do not eat, drink or smoke while applying or before washing hands and face.
Wash hands with soap and water after use.
Prevent contamination of foodstuffs, utensils and drinking water.
Destroy empty container and do not re-use for any other purpose.

RELEVANT SUBSTANCES:

All relevant hazardous substances within the formulation:
0.5% Permethrin

FIRST AID:

If inhaled: Keep patient calm, remove to fresh air, and seek medical attention.

On skin contact: Contact with the dust may cause irritation, redness and discomfort. Remove contaminated clothing, rinse the affected skin area with plenty of soap and cool water or shower. Apply Vitamin E cream or simple toilet milks. When symptoms persist or in all cases of doubt seek medical advice.

On contact with eyes: Contact with the dust may be irritating, causing redness and discomfort. Immediately wash eyes with copious amounts of clean water for at least 15 minutes and contact a doctor if irritation persists.

On ingestion: Keep patient calm and reassured, rinse mouth with clean water. Do not induce vomiting. Never give anything by mouth to an unconscious person. DO NOT apply direct mouth to mouth respiration, use a disposable protective mouthpiece. Contact a doctor.

DIRECTIONS FOR USE: USE ONLY AS DIRECTED.

May be used in kitchens, canteens, food processing plants, hotels, restaurants, bakeries and similar places where high standards of hygiene must be maintained.
Use with any suitable dusting apparatus.

1. Cockroaches and fish moths

Apply dust lightly around skirting boards and disperse into all cracks and crevices and where insects are most likely to come into contact. For application to electric motors. Leave the powder undisturbed for as long as possible.

2. Fleas

Lightly dust the powder over the floor and carpet working it into cracks and carpet pile where flea larvae develop in accumulated debris. Vacuum carpet before treatment and do not vacuum again for at least 24 hours. Also treat pet bedding and areas frequented by pets. In poultry houses treatment of litter will suppress flea infestations.

3. Bedbugs

Apply to bedframes, mattresses, floor coverings, upholstered furniture, cracks in walls, behind fittings and other likely harbourages.

4. Ants

Sprinkle dust freely along any runs in premises and around nests. Repeat as necessary.

5. Litter beetle in poultry houses

Apply dust at the rate of 10 g/m² using mechanical or electrical dusting machines. Treat a 1m band around inside wall/floor junction and support posts, and areas where litter beetle are active. Apply into hollow walls and ceilings. Repeat treatment as necessary.

For any product enquiry, contact Coopers Environmental Science (Pty) Ltd - 011 979 4246/7. For poisoning emergencies only, Griffon Poison Information Centre may also be contacted - 082 446 8946.