

READ THE LABEL BEFORE USE

## AIRCRAFT AEROSOL

REG. NO. L4624 Act No. 36 of 1947

REG. NR. L4624 Wet Nr. 36 van 1947

GROUP

3A

INSECTICIDE

A TOTAL RELEASE AEROSOL (SINGLE APPLICATION) FOR DISINSECTION (E.G. MOSQUITOES) OF AIRCRAFTS PRIOR TO TAKE-OFF.



**DANGER**

**Hazard Statements:**

- Extremely flammable aerosol.
- Pressurized container: may burst if heated.
- May be fatal if swallowed and enters airways.
- Causes skin irritation.
- May cause an allergic skin reaction.
- Very toxic to aquatic life with long lasting effects.

**Precautionary Statements:**

- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Do not spray on an open flame or other ignition source.
- Do not pierce or burn, even after use.
- Wash hands and face thoroughly after handling.
- Avoid release into the environment.
- Wear impervious rubber gloves and boots, protective clothing and chemical safety goggles.
- Take off contaminated clothing and wash it before reuse.
- Collect spillage.
- Store locked up.
- Protect from sunlight. Store in a well-ventilated place.
- Dispose of content/container to suitable landfill in accordance with local regulations.

**ACTIVE INGREDIENT: / AKTIEWE BESTANDDEEL:**

Permethrin (pyrethroid) 20 g/kg  
(25/75 cis/trans isomer)

Permetrin (piretroïed)  
(25/75 cis/trans isomeer)

NET CONTENTS: / NETTO INHOUD: 70g

**REGISTRATION HOLDER**

Starplex 83 CC  
P.O. Box 14374  
BREDELL 1623  
SOUTH AFRICA  
+27119794246/7

Distribution by:  
Coopers Environmental Science (Pty) Ltd  
Reg. No. 2000/02366/70/7  
91 Maple Street  
POMONA 1619  
SOUTH AFRICA  
TEL: +2711 979-4246/7  
[info@cooperses.co.za](mailto:info@cooperses.co.za)

UN NO. 1950

Batch No:

Date manufactured:

## KEEP OUT OF REACH OF CHILDREN AND ANIMALS

### **WARNINGS:**

May cause irritation of the skin, eyes, mucous membranes and skin sensitization.  
Keep out of reach of children, uninformed persons and animals.  
Do not puncture or incinerate container, even when empty.  
Pressurised container - protect from direct sunlight and do not expose to temperatures exceeding 50 °C.

### **PRECAUTIONS:**

Do not use in the presence of persons with known sensitivity to pyrethroids.  
In the case of signs of sensitivity, obtain medical advice.  
Shake well before use.  
Do not spray on or near food.  
Foodstuffs and eating utensils should be protected from contamination by the insecticidal spray.  
Avoid excessive inhalation.

### **RELEVANT SUBSTANCES:**

All relevant hazardous substances within the formulation:  
2% Permethrin  
> 10% Blend of ethanol/Isopropanol  
> 80% Fluorocarbon 134a

### **FIRST AID:**

**If inhaled:** Keep patient calm, remove to fresh air, and seek medical attention.

**On skin contact:** Wash with plenty of water and non-abrasive soap. If skin irritation or rash occurs: Get medical advice.

**On contact with eyes:** Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

**On ingestion:** Rinse mouth and then drink plenty of water. Immediately call a POISON CENTER. Do NOT induce vomiting.

### **DIRECTIONS FOR USE:** USE ONLY AS DIRECTED.

Depress actuator fully, whilst holding can in an upright position.  
Direct spray upwards in the centre of the cabin or sideways towards the luggage compartment, while walking at normal pace.  
All possible insect harbourages inside the aircraft must be treated.  
The aerosol shall be dispensed as uniformly as possible at the minimum rate of 35 g/100 m<sup>3</sup>.

<b>Aircraft/Vliegtuig</b>	<b>Units of / Eenhede van 70 g</b>
B747	4
B767/A300/707/747SP/747 Combi	2
A320/737/727	1
Light (Piper Chieftain, Beechcraft Kingair)	1
Medium (C47, C130, C160)	1