



## MOSFOG

Reg. No. L9411 Act No. 36 of 1947

Reg. Nr. L9411 Wet Nr. 36 van 1947

**READ THE LABEL BEFORE USE  
KEEP OUT OF REACH OF CHILDREN AND ANIMALS**

GROUP

3A

INSECTICIDE

A FOGGING OR MISTING SPRAY INSECTICIDE  
FOR THE CONTROL OF MOSQUITOES

'N MIS- OF NEWELSPROEI INSEKTEDODER  
VIR DIE BESTRYDING VAN MUSKIETE



#### Hazard Statements:

- Toxic to aquatic life with long lasting effects.

#### Precautionary Statements:

- Avoid release into the environment.
- Collect spillage.
- Dispose of content/container to suitable landfill in accordance with local regulations.

*No signal word*

#### ACTIVE INGREDIENTS: / AKTIEWE BESTANDDELE:

Pyrethrins	5 g/l	Piretriene
Piperonyl butoxide	40 g/l	Piperonielbutoksied

NETTO CONTENTS: / NETTO INHOUD: 20 l

#### REGISTRATION HOLDER: / REGISTRASIEHOUER:

Coopers Environmental Science (Pty.) Ltd. / (Edms.) Bpk.  
Reg. No. / Nr. 2000/023667/07  
P.O. Box / Posbus 14374, Bredell, 1623  
SOUTH AFRICA / SUID-AFRIKA  
TEL: (011) 979 4246

#### DISTRIBUTED BY:

**Coopers Environmental Science (Pty) Ltd**  
TEL: (011) 979- 4246/7  
91 Maple Street  
POMONA 1619

UN No. / VN Nr. 3082

Before using this product read the label carefully / Lees die etiket noukeurig alvorens die produk gebruik word.

**IN CASE OF POISONING CALL THE FOLLOWING NUMBER: (+27) 82 446 8946**

## **WARNINGS:**

Handle with care.  
Keep out of reach of children, uninformed persons and animals.  
In the case of poisoning call a physician and show him/her this label.

## **PRECAUTIONS:**

In the case of signs of sensitivity, obtain medical advice.  
Do not breathe spray mist excessively and avoid skin contact.  
Wash with soap and water after use.  
Prevent contamination of drinking water.  
Destroy empty container and do not re-use for any other purpose.

## **RELEVANT SUBSTANCES:**

All relevant hazardous substances within the formulation:  
0.5% Pyrethrum  
4% Piperonyl butoxide

## **SYMPTOMS OF POISONING**

Numbness of lips and tongue, sneezing, nausea, vomiting, diarrhoea, headache, restlessness, incoordination, chronic convulsions, stupor, prostration.

## **FIRST AID AND TREATMENT**

- Inhalation:** Remove patient from source of poisoning to well-ventilated area and keep him quiet and reassured. If necessary, administer artificial respiration and oxygen or closed chest cardiac massage.
- Skin contact:** Remove contaminated clothing, rinse the affected skin area with plenty of soap and cool water or shower. DO NOT rub skin hard.
- Eye contact:** Immediately wash eyes with copious amounts of clean water for at least 15 minutes, cover with a sterile pad, contact a doctor.
- Ingestion:** Keep patient calm and reassured, rinse mouth with clean water. Never give anything by mouth to an unconscious person. DO NOT apply direct mouth to mouth respiration, use a disposable protective mouthpiece.

## **NOTE TO PHYSICIAN**

Treat symptomatically.

## **DIRECTIONS FOR USE: USE ONLY AS DIRECTED.**

**OUTDOOR USE:** To control accessible areas of mosquitoes. The application should be made in the late evening when insects are at rest. Direct mist from upwind to penetrate into the bushes and undergrowth. For best results, apply when there is a light breeze and temperature is 23°C or lower.

MOSFOG should be used undiluted and applied through cold as well as thermal fogging ("Pulsfog") machines at a rate of 500ml - 1300 ml/ha. Direct mist from upwind to penetrate into the bushes and undergrowth.

For any product enquiry, contact Coopers Environmental Science (Pty) Ltd - 011 979 4246/7.  
For poisoning emergencies only, Griffon Poison Information Centre may also be contacted - 082 446 8946.