

BEFORE USING THIS PRODUCT, READ THE LABEL CAREFULLY. KEEP OUT OF REACH OF CHILDREN AND ANIMALS.

NUPRO Aerosol

Reg. No./Nr. L 7410 Act/Wet 36/1947 Botswana Reg. W 130258
 Namibia Reg. No. N-AR 0853



A rapid acting total release aerosol for space fumigation of residential buildings, stores, warehouses, mills, silos, ships, etc.

IRAC INSECTICIDE GROUP CODE 1B

HAZARD STATEMENTS:

- Flammable Aerosol, Pressurized container:
- May burst if heated
- Highly flammable liquid and vapour.
- Harmful if swallowed
- Toxic in contact with skin.
- May cause an allergic skin reaction.
- Causes serious eye irritation.
- Toxic if inhaled.
- Toxic to aquatic life



DANGER

RECAUTIONARY STATEMENTS:

- Keep out of reach of children.
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear protective gloves/protective clothing/eye protection/face protection.
- Do not eat, drink or smoke when using this product.
- Keep container tightly closed.
- Use explosion-proof equipment.
- Wash hands thoroughly after handling.
- Use only non-sparking tools.
- Take precautionary measures against static discharge.
- Contaminated work clothing should not be allowed out of the workplace.
- Avoid breathing dust/fume/gas/mist/vapours/spray. Store in a well-ventilated place. Keep cool.
- Store locked up.
- Dispose of contents/container in accordance with national regulations.

Active ingredient:
 Dichlorvos (organophosphate)....124g/kg **330ml**

Date manufactured: see container
 Expiry date: see container
 Batch No.: see container
 UN No.: 1950
 EMERGENCY Number/Poison Centre: 0861 555 777

Registered and Distributed by:
 FOUNTAIN ENVIRONMENTAL SERVICES c.c
 Reg. No. CK2007/171696/23
 18 Simba Rd, Sebenza, Edenvalle, 1613
 Tel. No. +27 (0) 82 650 8765

FIRST AID TREATMENT

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Remove the affected person from the danger zone and lay down.

Following Inhalation:

Remove person to fresh air and keep comfortable for breathing.

If the victim is unconscious but breathing normally, place her in recovery position and seek medical advice. No resuscitation mouth-to-mouth or mouth-to-nose. Use a mask or respirator. If breathing is irregular or stopped, administer artificial respiration. After inhaling vapours, the first signs of poisoning can show up hours later, so always consult a doctor.

Following skin contact:

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. In case of skin reactions, consult a physician.

Following eye contact:

In case of eye irritation consult an ophthalmologist. Rinse immediately carefully and thoroughly with eyebath or water. Remove contact lenses, if present and easy to do. Continue rinsing.

Following ingestion:

Never give anything by mouth to an unconscious person or a person with cramps.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER.

NOTE TO PHYSICIAN

Treat Symptomatically.

Relevant Substance	Concentration (%)
Acetone	
CAS N° 67-64-1	C ≤ 20%
Dichlorvos	
CAS N° 62-73-7	C ≤ 15%
Butane / Propane - B36 Mix	
CAS N° 106-97-8 & 74-98-6	C ≤ 65%

DIRECTIONS FOR USE

USE ONLY AS DIRECTED:

Close doors and windows and switch off ventilation. Place the aerosol(s) in a raised position in the space to be treated. Where more than one aerosol is required distribute them evenly throughout the area. To activate press trigger until it is locked into the spray position. Leave room at once. The entire contents will release at once. Always activate the aerosol furthest from the door first. The room should be left closed overnight where possible or for at least 6 hours before using again.

Total spray duration per can is about 5 minutes, which is sufficient to treat from 150 m³ to 600 m³ of room space, depending on the type of pests to be controlled (See Table). Follow the precautions regarding re-entry of freshly treated premises.

PESTS		
Flying Insects (e.g., moths, flies, mosquitoes)	600 m³	
Stored product pests (e.g., grain and flour beetles and weevils and their larvae)	300 m³	
Crawling Insects (e.g., cockroaches, fishmoths, mites, lice, fleas, crickets, bedbugs, carpet beetles)	150 m³	

