

READ THE LABEL BEFORE USE
HOUSEHOLD/COMMERCIAL

NUFOG Dual Action

REG. NO. L10438 Act No. 36 of 1947

GROUP

1A

1B

3A

INSECTICIDE

A TOTAL RELEASE AEROSOL TREATMENT FOR THE CONTROL OF CRAWLING AND FLYING INSECTS WITH THE ADDITIONAL BENEFIT OF LIMITED RESIDUAL ACTIVITY. FOR USE IN HOMES, KITCHENS, RESTAURANTS, HOTELS AND INDUSTRIAL SETTINGS.

'N TOTALE VRYSTELLING AEROSOL BEHANDELING VIR DIE BEHEER VAN KRUIPENDE EN VLIEËNDE INSEKTE MET DIE ADDISIONELE VOORDEEL VAN BEPERKTE NAWERKING. VIR GEBRUIK IN HUISE, KOMBUISE, RESTAURANTE, HOTELLE EN INDUSTRIEËLE OMGEWINGS.



DANGER

Hazard Statements:

- Extremely flammable aerosol.
- Pressurised container: may burst if heated.
- Causes serious eye irritation.
- May be fatal if swallowed and enters airways.
- May cause drowsiness or dizziness.
- Very toxic to aquatic life with long lasting effects.

Precautionary Statements:

- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Do not spray on an open flame or other ignition source.
- Do not pierce or burn, even after use.
- Avoid breathing mist, vapours and spray.
- Wash hands and face thoroughly after handling.
- Wear impervious rubber gloves and boots, protective clothing and chemical safety goggles.
- Call a poison centre if you feel unwell.
- Take off contaminated clothing and wash it before reuse.
- Store locked up.
- Protect from sunlight. Do not expose to temperatures exceeding 50°C.
- Dispose of content/container to suitable landfill in accordance with local regulations.

ACTIVE INGREDIENT:

Cyfluthrin (pyrethroid)	0,25 g/kg
Propoxur (carbamate)	10,0 g/kg
Dichlorvos (organophosphate)	5,0 g/kg

NET CONTENTS: / NETTO INHOUD: 325 ml

REGISTRATION HOLDER

Starplex 83 CC
P.O. Box 14374
BREDELL 1623
SOUTH AFRICA
(+27)11 979 4246/7

IN CASE OF POISONING CALL THE FOLLOWING NUMBER: (+27) 82 446 8946

See bottom of can for Batch No. and Date of Manufacture.
Sien onderkant van kannetjie vir Lotnommer en Datum van Vervaardiging.

UN. NO. / VN. NR. 1950

KEEP OUT OF REACH OF CHILDREN AND ANIMALS

WARNINGS:

Extremely flammable aerosol.
Pressurized container: may burst if heated.
Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.
May be fatal if swallowed and enters airways.
May cause drowsiness or dizziness.
In case of poisoning, call a doctor and make this can available to him/her.
Ensure good ventilation before re-entry after recommended treatment period.
Very toxic to aquatic life with long lasting effects.

PRECAUTIONS:

Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking.
Do not spray on an open flame or other ignition source.
Do not pierce or burn, even after use.
Avoid breathing mist, vapours and sprays.
Wear impervious rubber gloves and boots, protective clothing, and chemical safety goggles.
Do not use in the presence of persons with known sensitivity to pyrethroids. In case of signs of sensitivity, obtain medical advice.
Do not spray on food, utensils, animals or plants.
Remove pets and seal aquaria (fish tanks) airtight before spraying.
Wash hands and face thoroughly after handling.
Call a poison centre if you feel unwell.
Take off contaminated clothing and wash it before reuse.
May stain plastic material and highly polished surfaces.
Protect from sunlight. Do not expose to temperatures exceeding 50 °C.
Store locked up.

RELEVANT SUBSTANCES:

All relevant hazardous substances within the formulation:

1% Propoxur
0.5% Dichlorvos
< 1% Triethylorthoformate
> 10% Acetone
> 25% Solvent DB
> 25% Butane 40

SYMPTOMS OF POISONING

NO KNOWN SYMPTOMS.

FIRST AID TREATMENT

IF ON SKIN: Wash with plenty of water and non-abrasive soap. If skin irritation occurs: get medical advice.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice.

IF SWALLOWED: Immediately call a POISON CENTER. Do NOT induce vomiting.

IF INHALED: Remove patient from source of poisoning to a well-ventilated area. Call a poison centre.

NOTE TO PHYSICIAN

Treat symptomatically.

DIRECTIONS FOR USE: USE ONLY AS DIRECTED.

NUFOG controls ants, bedbugs, carpet beetles, cockroaches, crickets, fleas, fish moths, house flies and mosquitoes.

DO NOT DEPRESS ACTUATOR UNTIL ALL CANS HAVE BEEN PLACED AND YOU ARE READY FOR COMPLETE TREATMENT ACTIVATION.

Seal off all ventilation to the treatment area. Close all doors and windows of the area to be treated, except the exit door, which should be closed after exiting the area.

All applicable precautionary measures should be taken prior to treatment activation.

Ensure that all cupboards, cabinets and doors are opened to allow infiltration of the product.

Recommended dosage	One 325 ml can per 160 m ³
---------------------------	---------------------------------------

IMPORTANT: Once the actuator is pressed into the locked position, total content will be released.

1. Place can on newspaper, in the center of the recommended treatment area. Cover surfaces close to the NuFog can with layers of newspaper, or refuse bags.
2. To activate: Point nozzle away from yourself and depress actuator until it locks in position. Start from the furthest room working your way backwards to the exit. Set fogger upright in the center of the newspaper. Immediately leave the treatment area, closing the last door behind you. Keep treated area closed for at least two hours.
3. Ventilate the area well after the treatment period by opening doors and windows before re-occupation.