

ULTRAKILL ANTFORCE

REG. NO. L8653 Act No. 36 of 1947
Namibian Reg. No. N-AR 1246

REG. NR. L8653 Wet Nr. 36 van 1947
Namibiese Reg. Nr. N-AR 1246

**READ THE LABEL BEFORE USE
KEEP OUT OF REACH OF CHILDREN AND ANIMALS**

GROUP

3A

INSECTICIDE

GRANULAR BAIT FOR THE INDOOR OR OUTDOOR CONTROL OF ANTS (INCLUDING BROWN HOUSE ANT AND BLACK SUGAR ANT), COCKROACHES (INCLUDING AMERICAN AND GERMAN), FISH MOTHS AND CRICKETS AROUND DOMESTIC PREMISES AND BUILDINGS ON LAWNS, TURFGRASS AND OTHER AREAS SUCH AS PARKS AND GOLF COURSES.

KORREL LOKAAS VIR DIE BINNEMUURS OF BUITEMUURS BEHEER VAN MIERE (INSLUITEND BRUIN HUISMIER EN SWART SUIKERMIEER), KAKKERLAKKE (INSLUITEND AMERIKAANSE EN DUITSE KAKKERLAKKE), VIS MOTTE EN KRIEKE OM HUISHOUDELIKE PERSELE EN GEBOUE, OP GRASPERKE, TURFGRAS EN ANDER AREAS SOOS PARKE



DANGER

Hazard Statements:

- Causes damage to organs through prolonged or repeated exposure.
- Harmful to aquatic life with long lasting effects.

Precautionary Statements:

- Wash hands and face thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Avoid release to the environment.
- Dispose of content/container to suitable landfill in accordance with local regulations.

ACTIVE INGREDIENT:

Hydramethylnon 10g/kg

NET CONTENTS: Contact supplier for available packaging sizes/ Kontak verskaffer vir beskikbare verpakking groottes.

REGISTRATION HOLDER:

Starplex 83 CC
Reg. No. 2004/15647/23
P.O. Box 14374
BREDELL 1623
SOUTH AFRICA
+27119794246/7

IN CASE OF POISONING CALL THE FOLLOWING NUMBER: (+27) 82 446 8946

UN NUMBER: NOT REGULATED

WARNINGS:

- Handle with care.
- Store in a cool dry place, away from food, feedstuffs and other insecticides.
- Keep container closed when not in use.

PRECAUTIONS:

- Wear gloves.
- Contact with skin and eyes must be avoided.
- Avoid contamination with other insecticides.

RELEVANT SUBSTANCES:

All relevant hazardous substances within the formulation:

1% Hydramethylnon

FIRST AID:

IF INHALED: Remove patient from source of poisoning to a well-ventilated area. Call a poison centre. IF

ON SKIN: Wash with plenty of water and non-abrasive soap. If skin irritation occurs: get medical advice.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice.

IF SWALLOWED: Immediately call a POISON CENTRE. DO NOT induce vomiting.

DIRECTIONS FOR USE: USE ONLY AS DIRECTED.

The active ingredient in **ULTRAKILL ANTFORCE** is based on a delayed action which allows the bait to be taken back to the nest by foraging ants so that the entire colony, as well as the queen, is destroyed. Used properly, this bait will effectively control many common structure-invading ants before they enter the building. The application of other pesticides e.g. aerosols, sprays, etc. should be kept to a minimum to prevent contamination as it will reduce the effectiveness. Visual cues such as reduced activity and dead ants around the entrance of the nest should be seen in around 7 days after application.

1. Broadcast application

Distribute granules equally on lawns and other areas at the rate of 20g/100m². The bait will remain effective, after exposure to climatic conditions such as rain and sunlight, for up to 7 days.

2. Perimeter treatment

Gently scatter granules at the rate of 6g/m² in a belt of 0.5m wide around the edge of the buildings where there is ant activity. Treat ant trails, cracks and crevices where ants may enter the structures.

3. Ant nests

Scatter in the region of 30g bait around active nests. Do not apply bait directly in or on the mound. If the mounds are disturbed, ants will become agitated and may not feed on the bait.

4. Refillable bait stations

Place 2 to 6 tbsp of granules per bait station. Refillable stations should be placed every 6-9m around the perimeter of a structure. For best results place bait stations near: air conditioning units, water faucets, foundation vents, utility entryways e.g. electrical and wherever target pest are frequently found.

5. For indoor use for cockroaches, crickets and fish moths

Indoor application is limited to areas inaccessible to children and pets such as cracks, crevices, wall voids, crawl spaces and behind electrical switches. Apply one tbsp. of bait per crack, crevice or other inaccessible areas where insects may hide or live.

Bait should, as a rule, rather be replaced often than over applied.

For any product enquiry, contact Coopers Environmental Science (Pty) Ltd – (+27)11 979 4246/7.