

Deltakill CS

REG. NO. L9528 Act No. 36 of 1947

REG. NR. L9528 Wet Nr. 36 van 1947

**READ THE LABEL BEFORE USE
KEEP OUT OF REACH OF CHILDREN AND ANIMALS**

| | | |
|-------|----|-------------|
| GROUP | 3A | INSECTICIDE |
|-------|----|-------------|

A CAPSULE SUSPENSION FORMULATION CONTAINING A RESIDUAL PYRETHROID FOR THE CONTROL OF FLIES, MOSQUITOES, ANTS, COCKROACHES, BED BUGS, FISH MOTHS AND FLEAS. FOR USE IN INDUSTRIAL, COMMERCIAL (INCLUDING FOOD HANDLING AND PROCESSING PLANTS) AND DOMESTIC PREMISES INCLUDING ANIMAL HOUSING.

'N KAPSULE SUSPENSIE FORMULASIE BEVATTENDE 'N NAWERKENDE PIRETROIËD VIR DIE BEHEER VAN VLIËË, MUSKIETE, KAKKERLAKKE, WEELUISE, VIS MOTTE EN VLOOIE. VIR GEBRUIK IN INDUSTRIËLE, KOMMERSIËLE (INSLUITEND VOEDSEL VERWERKING EN HANTERINGS PERSELE) EN HOUSHOUDELIKE PERSELE INSLUITEND DIEREHOKKE.



DANGER

Hazard Statements:

- May be harmful if swallowed.
- Causes skin irritation.
- Causes serious eye irritation.
- May damage the unborn child.
- Toxic to aquatic life.
- Toxic to aquatic life with long lasting effects.

Precautionary Statements:

- Do not handle until all safety precautions have been read and understood.
- Wash hands and face thoroughly after handling.
- Avoid release into the environment.
- Wear impervious rubber gloves and boots, protective clothing and chemical safety goggles.
- IF ON SKIN: Wash with plenty of water and non-abrasive soap.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- If exposed or concerned: Get medical attention.
- If skin irritation occurs: get medical advice.
- If eye irritation persists: Get medical advice.
- Take off contaminated clothing and wash it before reuse.
- Store locked up.
- Dispose of content/container to suitable landfill in accordance with local regulations.

ACTIVE INGREDIENT:

Deltamethrin 25g/l

NETTO CONTENTS: / NETTO INHOUD: Contact supplier for available packaging sizes/ Kontak verskaffer vir beskikbare verpakking groottes.

REGISTRATION HOLDER

Starplex 83 CC
P.O. Box 14374
BREDELL 1623
SOUTH AFRICA
+27119794246/7

IN CASE OF POISONING CALL THE FOLLOWING NUMBER: (+27) 82 446 8946

UN NUMBER: 3082

WARNINGS:

Handle with care.

May be harmful if swallowed.

Causes skin irritation.

Causes serious eye irritation.

May damage the unborn child.

Do not spray directly onto foodstuffs or surfaces on which food is stored or eaten.

Toxic to aquatic life with long lasting effects.

PRECAUTIONS:

Do not handle until all safety precautions have been read and understood.

Do not use in the presence of a person with known sensitivity to pyrethroids.

In case of signs of sensitivity, obtain medical advice.

Wear impervious rubber gloves and boots, protective clothing and chemical safety goggles when handling the concentrate or applying the diluted product.

Avoid skin contact and wash splashes from skin and eyes immediately.

Wash hands and face thoroughly after handling.

Take off contaminated clothing and wash it before reuse.

Do not eat, drink or smoke whilst mixing or applying or before washing face and hands.

Prevent contamination of food, feedstuffs, drinking water, eating utensils and food preparation equipment.

Rinse empty container three times with a volume of water to a minimum of a third of that of the container.

Add the rinsing to the contents of the spray tank before destroying the container. Avoid release to the environment. Dispose of content/container to suitable landfill in accordance with local regulations. Do not reuse the container for any other purpose.

Store in a cool dry place. Store locked up.

RELEVANT SUBSTANCES:

All relevant hazardous substances within the formulation:

2.5% Deltamethrin

< 1% Butylated hydroxytoluene

>5% BN-methyl-2-pyrrolidone

>5% Polyoxyethylene laurylether

FIRST AID:

If exposed or concerned: Get medical attention.

IF INHALED: Keep patient calm, remove to fresh air, and seek medical attention.

IF ON SKIN: Wash with plenty of water and non-abrasive soap. If skin irritation occurs: get medical advice.

On contact with eyes:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice.

IF INGESTED: Rinse mouth immediately and then drink plenty of water, seek medical attention. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Do not induce vomiting unless told to by a poison control centre or doctor.

DIRECTIONS FOR USE: USE ONLY AS DIRECTED.

Shake well before measuring.

I. Cockroaches, bedbugs, fish moths, fleas and ants.

Dilute 40ml / 5 l water (For high infestation, use 80 ml / 5L water).

Deltakill should be diluted with water only and applied with a suitable sprayer for industrial, domestic and public health use.

For residual protection apply as a coarse spray at the rate of 5 l / 100m² or to the point of runoff, which will vary depending on the surface sprayed.

Spray skirting's, walls, cupboards, as well as all surfaces where crawling insect activity is observed. Attention should be given to cracks and crevices.

For ant control, the perimeter should be sprayed and active nests should also be treated. Repeat after two weeks.

II. Houseflies and mosquitoes

Dilute 40ml / 5 l water.

Deltakill should be diluted with water only and applied with a suitable sprayer for domestic, industrial and public health use.

For residual protection apply as a coarse spray at the rate of 5 l / 100m² or to the point of runoff, which will vary depending on the surface sprayed.

NOTE: Since outside deposits are more likely to be exposed to weathering, shorter residual activity could be experienced.

For product inquiries, please contact Coopers Environmental Science (Pty) Ltd - 011 979 4246/7. For poisoning cases Griffon Poison Information Centre can be contacted - 082 446 8946.

www.cooperses.com