

Dorine EC 50

REG. NO. L 4913 Act No. 36 of 1947
Namibian Reg. No. N-AR 0588

REG. NR. L 4913 Wet Nr. 36 van 1947
Namibiese Reg. Nr. N-AR 0588

**READ THE LABEL BEFORE USE
KEEP OUT OF REACH OF CHILDREN AND ANIMALS**

AN EMULSIFIABLE CONCENTRATE FOR USE IN ASSOCIATION WITH RESIDUAL SPRAYS TO INCREASE THE FLUSHOUT AND KNOCKDOWN OF CRAWLING INSECTS SUCH AS COCKROACHES.



DANGER

Hazard Statements:

- Flammable liquid and vapour.
- May be fatal if swallowed and enters airways.
- Causes mild skin irritation.
- May cause respiratory irritation.
- May cause drowsiness or dizziness.
- Very toxic to aquatic life with long lasting effects.

Precautionary Statements:

- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Keep container tightly closed.
- Avoid breathing mist, vapours and spray.
- Use only outdoors or in a well-ventilated area.
- Avoid release to the environment.
- Wear protective clothing, gloves, eye/face protection and suitable respirator.
- IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician.
- IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [shower].
- Call a poison centre if you feel unwell.
- Do NOT induce vomiting.
- Collect spillage.
- Store in a well-ventilated place. Keep cool.
- Store locked up.
- Dispose of contents/container in accordance with local, regional, national and international regulations.

ACTIVE INGREDIENTS/ AKTIEWE BESTANDDELE:

Esbiothrin (pyrethroid)	50 g/l	Esbiotrin (piretroïed)
Piperonyl butoxide	300 g/l	Piperonielbutoksied

NET CONTENTS: / NETTO INHOUD: Contact supplier for available packaging sizes/ Kontak verskaffer vir beskikbare verpakking groottes

REGISTRATION HOLDER

Starplex 83 CC
P.O. Box 14374
BREDELL 1623
SOUTH AFRICA
+27119794246/7

UN NO. 1993

WARNINGS:

Flammable liquid and vapour. May be fatal if swallowed and enters airways. Causes mild skin irritation. May cause respiratory irritation. May cause drowsiness or dizziness. Very toxic to aquatic life with long lasting effects. Toxic to bees and wildlife.

PRECAUTIONS:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid breathing mist, vapours and spray. Use only outdoors in a well ventilated area. Wear protective clothing and face shield when handling and applying. Do not use in the presence of people with known sensitivity to pyrethroids. Call a poison centre or doctor if you feel unwell. Collect spillage. Store in a well ventilated place. Keep container tightly closed. Store locked up. Rinse empty container three times with a volume of water equal to a minimum of a third of the container. Add the rinsings to the spray tank before destroying the container. Dispose of content/container to suitable landfill in accordance with local regulations.

RELEVANT SUBSTANCES:

All relevant hazardous substances within the formulation:

5% Esbiothrin

30% Piperonyl Butoxide

> 50% Shellsol A100

SYMPTOMS OF HUMAN POISONING:

Excitement, gastrointestinal discomfort, tremor, dizziness, headache, listlessness, nausea and vomiting, epigastric pain, muscular fasciculation of limbs, unconsciousness, convulsions and coma (very high doses).

FIRST AID AND TREATMENT:

Inhalation: Move the patient to fresh air and keep at rest. If symptoms persist, call a physician.

Skin contact: Take off immediately all contaminated clothing. Rinse skin with water [shower]. Apply Vitamin E cream or simple toilet milks. When symptoms persist or in all cases of doubt seek medical advice.

Eye contact: In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Ingestion: Immediately call a POISON CENTRE or doctor/physician. DO NOT INDUCE VOMITING. Wash out mouth with water. Keep at rest.

NOTE TO PHYSICIAN:

Treat symptomatically.

DIRECTIONS FOR USE: USE ONLY AS DIRECTED.

To be used for flushing and knockdown of crawling insects in association with residual sprays such as **Deltakill** (Reg. No. L9528 Act No. 36 of 1947). Full mixture should be used and not left over.

Dilute 20 ml **Dorine EC 50** concentrate plus 40 ml **Deltakill** in 5 l water as a tank mix, immediately prior to use. Mix well and apply at the rate of 5 l / 100 m², or to the point of run off.

For any product enquiry, contact Coopers Environmental Science (Pty) Ltd - 011 979 4246/7. For poisoning emergencies only, Griffon Poison Information Centre may also be contacted - 082 446 8946.