

Mospray

REG. NO. L9402 Act 36/1947

REG. NR. L9402 Wet 36/1947

**READ THE LABEL BEFORE USE
KEEP OUT OF REACH OF CHILDREN AND ANIMALS**

GROUP

1B

INSECTICIDE

AN EMULSIFIABLE CONCENTRATE FOR MOSQUITO CONTROL IN MALARIA AREAS PART OF A RESISTANT MANAGEMENT PROGRAM.



DANGER

ACTIVE INGREDIENTS:

Pirimiphos-methyl (organophosphate)
500 g/l

NETTO CONTENTS: / NETTO
INHOUD: Contact supplier for available
packaging sizes/ Kontak verskaffer vir
beskikbare verpakking groottes.

REGISTRATION HOLDER:

Starplex 83 cc
Reg. No.: 2004/01564/23
P.O. Box 14374
BREDELL 1623
SOUTH AFRICA
TEL: +2711 979-4246/7

Batch no: / Lotnommer:
Date manufactured / Datum vervaardig:

UN NO.: 1993

Hazard Statements:

- Flammable liquid and vapour.
- Harmful if swallowed.
- May be harmful if swallowed and enters airways.
- Causes mild skin irritation.
- Causes serious eye damage.
- Harmful if inhaled.
- Causes damage to organs through prolonged or repeated exposure.
- Very toxic to aquatic life with long lasting effects.

Precautionary Statements:

- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Keep container tightly closed.
- Do not breathe mist, vapours and spray.
- Wash hands and face thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Use only outdoors or in a well-ventilated area.
- Avoid release into the environment.
- Wear impervious rubber gloves and boots, protective clothing and chemical safety goggles.
- IF SWALLOWED: Immediately call a POISON CENTER.
- IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [shower].
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Immediately call a POISON CENTRE.
- Do NOT induce vomiting.
- Collect spillage.
- Store in a well-ventilated place. Keep cool.
- Store locked up.
- Dispose of content/container to suitable landfill in accordance with local regulations.

Warnings:

HANDLE CONCENTRATE WITH CARE

Poisonous by inhalation, contact and swallowing.

Toxic to bees, fish and wildlife.

Keep out of reach of children, animals and uninformed persons.

Store under lock and key away from food and fodder in a safe place away from heat.

KEEP AWAY FROM DIRECT SUNLIGHT.

FLAMMABLE – KEEP AWAY FROM OPEN FLAMES.

Precautions:

Do not breathe fumes or spray mist.

Wash clothing after a days' work.

Wash immediately with soap and hot water after accidental skin contact.

Do not eat, drink or smoke whilst applying, mixing or before washing hands and face.

Prevent contamination of foodstuffs, food utensils and drinking water.

Clean applicator after use.

Triple rinse the empty container by inverting it over the spray or mixing tank and allowing to drain for at least 30 seconds after the flow has slowed to a drip.

Thereafter rinse the container three times with a volume of water equal to a minimum of 10 % of that of the container. Add rinsing water to the contents of the spray tank before destroying the container. Destroy empty container by perforation and flattening and do not re-use for any other purpose.

Do not walk across treated areas until the application has dried thoroughly.

Remove pets and cover or remove aquaria.

RELEVANT SUBSTANCES:

All relevant hazardous substances within the formulation:

50% Pirimiphos-methyl

> 30% Fluidar 100

> 5% Phenyl Sulphonate CA

FIRST AID:

If inhaled: Move the victim to fresh air. If breathing is irregular or stopped, administer artificial respiration. Keep patient warm and at rest. Call a physician or poison control centre immediately.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water [shower]. If skin irritation persists, call a physician. Wash off immediately with plenty of water.

In case of eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

If swallowed: Immediately call a POISON CENTER. Do NOT induce vomiting.

Directions for use: Use only as directed.

Situation	Dosage	Critical comments
Indoor residual spray	100ml in 10 litres of water	For surfaces other than painted concrete. Remove all persons from areas to be treated and DO NOT use in areas where food is processed, packed or stored. Apply as a coarse spray, apply to wet all areas. Repeat monthly or when mosquitoes reappear.
Outdoor residual spray	500ml in 10 litres of water	For all porous surfaces such as mud huts, unpainted concrete and wooded surfaces.