



Ultrakill® Fly Bait / Vlieëlokaas

REG. NO. L4578 Act 36/1947

REG. NR. L4578 Wet 36/1947

**READ THE LABEL BEFORE USE
KEEP OUT OF REACH OF CHILDREN AND ANIMALS**

GROUP	1A	INSECTICIDE
--------------	-----------	--------------------

AN ATTRACTIVE FLY BAIT FOR THE CONTROL OF HOUSEFLIES IN AND AROUND ANIMAL HOUSING, REFUSE TIPS, MANURE HEAPS AND FOOD HANDLING PLANTS.



WARNING

Hazard Statements:

- Harmful if swallowed.
- Suspected of causing cancer.
- Very toxic to aquatic life with long lasting effects.

Precautionary Statements:

- Do not handle until all safety precautions have been read and understood.
- Wash hands and face thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Avoid release into the environment.
- Wear impervious rubber gloves and boots, protective clothing and chemical safety goggles.
- If exposed or concerned: Get medical attention.
- Store locked up.
- Dispose of content/container to suitable landfill in accordance with local regulations.

ACTIVE INGREDIENTS: / AKTIEWE BESTANDELE:

Methomyl (carbamate)
Tricosene

10 g/kg
0,50 g/kg

Metomil (karbamaat)
Trikosien

NETTO CONTENTS: / NETTO INHOUD: Contact supplier for available packaging sizes/ Kontak verskaffer vir beskikbare verpakking groottes.

REGISTRATION HOLDER:

STARPLEX 83 CC

P.O. Box 14374
BREDELL 1623
SOUTH AFRICA
+27119794246/7

Batch no: / Lotnommer:

Date manufactured / Datum vervaardig:

IN CASE OF POISONING CALL THE FOLLOWING NUMBER: (+27) 82 446 8946

UN No. 3077

WARNINGS:

Harmful if swallowed.
Suspected of causing cancer.
Very toxic to aquatic life with long lasting effects.
Do not use where there is the possibility that any edible commodity could become contaminated.
Handle with care.
Store away from food and foodstuffs.
Keep out of reach of children, uninformed persons and animals.
Toxic to bees, birds and wildlife.

PRECAUTIONS:

Do not handle until all safety precautions have been read and understood.
Wash hands and face thoroughly after handling.
Do not eat, drink or smoke when using this product.
Avoid release into the environment.
Wear impervious rubber gloves and boots, protective clothing and chemical safety goggles.
If exposed or concerned: Get medical attention.
Store locked up.
Dispose of content/container to suitable landfill in accordance with local regulations.
Do not contaminate food and foodstuffs or utensils.

RELEVANT SUBSTANCES:

All relevant hazardous substances within the formulation:
Methomyl 1%
Methylene chloride > 2%
Bitrex < 1%

FIRST AID MEASURES:

Skin contact: The toxin is a cholinesterase inhibitor and may be absorbed through intact skin. Remove contaminated clothing, rinse affected skin area with plenty of soap and cold water or shower. DO NOT rub skin.

Eye contact: Immediately wash eyes with copious amounts of clean water for at least 15 minutes, cover with a sterile pad, and contact a doctor.

Ingestion and overexposure: The toxin is a cholinesterase inhibitor and may cause headache, fatigue, faintness, giddiness, nausea, excessive sweating, abdominal pain, vomiting, blurred vision, muscle twitching, small pupils, respiratory distress, coma.

DIRECTIONS FOR USE: USE ONLY AS DIRECTED.

1. Dry bait

Place bait in suitable shallow containers out of reach of children and animals in areas where flies usually congregate. Replace bait as required. In dry areas bait can be sprinkled over moistened cotton wool in shallow containers. Used bait must be adequately disposed of.

2. Scatter bait

Scatter bait at the rate of 300 g / 50 - 100 m² in and around animal housing in areas inaccessible to animals and on refuse tips or manure heaps. Repeat treatment at 2 - 3 day intervals until the fly population has been reduced.

3. Stick-on method

Where bait cannot be adequately distributed, coat ceiling tiles or similar light board with egg white or other adhesive and lightly sprinkle bait over. Suspend boards from the roof out of reach of animals.

4. Liquid bait

As paint-on bait, mix one part bait with one part water and apply by paint brush or roller. Bait can be applied to any surface out of reach of people and animals where flies congregate.

As sprinkle bait, dissolve 500 - 1000 g / 10 ℓ of water. Apply by sprinkling onto floors or sprayed as a spot treatment to areas frequented by flies. Repeat treatment at 2 - 3 day intervals.

For any product enquiry, contact Coopers Environmental Science (Pty) Ltd - 011 979 4246/7.