



TOBACCOGUARD®
ULV Insecticide / Insektemiddel

Reg. No. L4619 Act No. 36 of 1947

Reg. Nr. L4619 Wet Nr. 36 van 1947

READ THE LABEL BEFORE USE
KEEP OUT OF REACH OF CHILDREN AND ANIMALS

GROUP

3A

INSECTICIDE

A ULV SPRAY FOR THE CONTROL OF TOBACCO BEETLE (*Lasioderma serricorne*) IN TOBACCO WAREHOUSES. ALSO FOR THE CONTROL OF STORED PRODUCT PESTS AND MOTHS IN WAREHOUSES AND FOOD PROCESSING PLANTS.



DANGER

Hazard Statements:

- May cause an allergic skin reaction.
- May be fatal if swallowed and enters airways.
- Very toxic to aquatic life with long lasting effects.

Precautionary Statements:

- Avoid release into the environment.
- Wear impervious rubber gloves and boots, protective clothing and chemical safety goggles.
- Collect spillage.
- Store locked up.
- Dispose of content/container to suitable landfill in accordance with local regulations.

ACTIVE INGREDIENT / AKTIEWE BESTANDDEEL:

Permethrin (pyrethroid)
(25/75 isomer)

50 g/l

Permetrien (piretroïed)
(25/75 isomeer)

NETTO CONTENTS/NETTO INHOUD: 25 ℓ

REGISTRATION HOLDER / REGISTRASIEHOUER:

Starplex 83 CC
P.O. Box 14374
BREDELL 1623
SOUTH AFRICA
+27119794246/7

DISTRIBUTION BY:

COOPERS ENVIRONMENTAL SCIENCE (PTY) LTD
Reg. No. 2000/02366/70/7
91 Maple Street
POMONA 1619
SOUTH AFRICA
TEL: +2711 979-4246/7

Batch no: / Lotnommer:

Date manufactured: / Datum vervaardig:

TOBACCOGUARD® is a registered trademark of Coopers Environmental Science (Pty) Ltd

IN CASE OF POISONING CALL THE FOLLOWING NUMBER: (+27) 82 446 8946

UN Nr. / VN Nr. 3082

WARNINGS:

Handle with care. May cause an allergic skin reaction.

Do not treat in the presence of exposed food, feed, preparation and/or packaging machinery and food handling surfaces. Cover these before treatment and do not remove covers within 3 hours after treatment.

Do not treat exposed tobacco. Tobacco should be baled and covered by asphalt paper and hessian.

Keep out of reach of children, uninformed persons and animals.

Switch off all electrical appliances.

Do not spray onto plants.

Store away from foods or feedstuffs.

Toxic to fish, bees and wild life.

PRECAUTIONS:

Do not use in the presence of persons with known sensitivity to pyrethroids.

In the case of signs of sensitivity, obtain medical advice.

Do not breathe spray mist and avoid skin contact.

Wash with soap and water after use.

Prevent contamination of foodstuffs, feed, eating utensils and drinking water.

Avoid wetting of plastic, rubber and asphalt surfaces.

Destroy empty container and do not re-use for any other purpose.

RELEVANT SUBSTANCES:

All relevant hazardous substances within the formulation:

Permethrin 5%

Exxol D60 > 90%

FIRST AID TREATMENT:

Skin contact: Remove contaminated clothing. Wash with plenty of water and non-abrasive soap.

Eye contact: Immediately wash eyes with copious amounts of clean water for at least 15 minutes, cover with a sterile pad, contact a doctor.

Ingestion and overexposure: Keep patient calm and reassured, rinse mouth with water. DO NOT induce vomiting. Never give anything by mouth to an unconscious person. DO NOT apply direct mouth to mouth respiration, use a disposable protective mouthpiece. Immediately call a POISON CENTER.

Inhalation: Immediately remove patient from source of poisoning to well-ventilated area and keep him quiet and reassured. If necessary, administer artificial respiration and oxygen or closed chest cardiac massage.

DIRECTIONS FOR USE: USE ONLY AS DIRECTED.

Use only with ULV misting equipment such as the LECO HD or LECO Mini or similar misting machines.

1. Tobacco warehouses - control of tobacco beetle
 - a) Ensure that the tobacco entering the warehouse has been treated and/or is insect free.
 - b) Treat all warehouses and factories with **Tobaccoguard®** at the rate of 185 mℓ / 1 000 m³ at three to four day intervals ensuring that the ULV mist is distributed evenly throughout the building.
 - c) This insecticide will not taint tobacco if the directions are followed. No oily film will accumulate after regular ULV application in premises.

2. Food storage warehouses and food processing plants

a) Flying insects, including Mediterranean flour moth, dried fruit moth and Indian meal moth:

- i) Close windows and doors before applying. Apply in the evenings and leave closed overnight.
- ii) Apply to all areas at the rate of 50 ml / 1 000 m³.
- iii) Daily treatment is recommended during peak insect season for best results.

b) Crawling insects, including lesser grain borer, flour beetle, saw-toothed grain beetle, rice weevil, maize weevil and cockroaches.

- i) Close windows and doors before applying and leave closed overnight.
- ii) Treat all areas at the rate of 100 ml / 1 000 m³.
- iii) Treat twice weekly. Will only control exposed adults and aid the prevention of re-infestation.

For any product enquiry, contact Coopers Environmental Science - 011 979 4246. For poisoning emergencies only, Griffon Poison Information Centre may also be contacted - 082 446 8946.